For Research Use Only

## SARS-CoV-2 Envelope Protein Polyclonal antibody

Catalog Number: 28904-1-AP 3 Publications



**Basic Information** 

Catalog Number:

GenBank Accession Number: NC\_045512

Purification Method: Antigen affinity purification

28904-1-AP

GeneID (NCBI):

Concentration: 575 µ g/ml

43740570

Source: Rabbit UNIPROT ID: PODTC4
Full Name:

Isotype:

Immunogen Catalog Number:

AG30690

COVID-19 E Protein

**Applications** 

**Tested Applications:** 

**ELISA** 

Cited Applications:

WB, IF

Species Specificity:

virus

**Cited Species:** 

human

**Background Information** 

Envelope protein of coronaviruses is a structural protein existing in both monomeric and homopentameric form. It is a minor component of the virus membrane though it is deemed to be important for many stages including virus infection, replication, dissemination and immune response stimulation. Sequence comparison has shown that this protein is identical to the counterparts of specific Bat and Pangolin coronavirus isolates, even though the Sars-CoV-2 sequence seems to possess specific modifications and characteristics with respect to other Sars CoVs(PMID:32596311). The SARS-CoV-2 envelope protein provide a strategy to assess cross-protection against COVID-19 (PMID: 32446902).

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Jiahang Ju	36082238	Front Cell Neurosci	IF
Qiwang Xiang	39677672	bioRxiv	WB,IF
Huan Cui	39435149	iScience	IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



SARS-CoV-2 Envelope protein Antibody (28904-1-AP) tested by ELISA. SARS-CoV-2 Envelope protein was coated onto microtiter plates at 0.15 µg/well and then incubated with a dilution series of SARS-CoV-2 Envelope protein Antibody (28904-1-AP). Bound antibodies were detected with HRP conjugated anti-Rabbit IgG followed by incubation with HRP Substrate and then measuring the resulting absorbance at 450 nm.