For Research Use Only

CoraLite® Plus 647-conjugated Phospho-AKT (Ser473) Recombinant antibody




Catalog Number:CL647-80455

Basic Information	Catalog Number: CL647-80455 Concentration: 1000 ug/ml Source: Rabbit Isotype: IgG	GenBank Accession Number: NM_005163 GeneID (NCBI): 207 UNIPROT ID: P31749 Full Name: v-akt murine thymoma viral oncogene homolog 1 Observed MW: 58 kDa	Purification Method: Protein A purification CloneNo.: 2E17 Excitation/Emission maxima wavelengths: 654 nm / 674 nm
Applications	Tested Applications: FC (Intra) Species Specificity: human		
Background Information	AKT is a serine/threonine kinase and it participates in the key role of the PI3K signaling pathway. Phosphatidylinositol-3 kinase (PI3K) is the key regulator of AKT activation. The recruitment of inactive AKT protein to PIP3-rich areas of the plasma membrane results in a conformational change that exposes the activation loop of AKT. AKT's activating kinase, phosphoinositide-dependent protein kinase (PDK1), is also recruited to PIP3 microdomains. PDK1 phosphorylates AKT on threonine 308 (Thr308) of the exposed activation loop, activating AKT and leading to a second phosphorylation of AKT at serine 473 (Ser473) by a kinase presumed to be mTORC2 that further potentiates kinase activity. Active AKT will phosphorylate various downstream protein targets that control cell growth and translational control and act to suppress apoptosis. (PMID: 31594388, PMID: 30808672)		
Storage	Storage: Store at -20°C. Avoid exposure to ligh Storage Buffer: PBS with 50% Glycerol, 0.05% Procli Aliquoting is unnecessary for -20°C s		

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^6 HEK-293 cells untreated (dashed lines) or treated with Calyculin A (red) were intracellularly stained with 0.13 ug CoraLite® Plus 647 Anti-Human Phospho-AKT (Ser473) (CL647-80455, Clone:2E17), or 0.13 ug Control Antibody (blue). Cells were fixed with 4% PFA and permeabilized with 80% MeOH.