For Research Use Only

HRP-conjugated Collagen Type III (Nterminal) Polyclonal antibody



Purification Method:

WB 1:2000-1:10000

Antigen affinity purification

Recommended Dilutions:

Catalog Number: HRP-22734

1 Publications

Basic Information

Catalog Number: HRP-22734

1000 µg/ml Source:

Size:

Rabbit Isotype:

Immunogen Catalog Number:

AG18658

Observed MW:

140-180 kDa

Applications

Tested Applications:

WB

Cited Applications:

WB

Species Specificity: human, mouse, rat Cited Species: mouse

GenBank Accession Number:

BC028178 GeneID (NCBI):

1281

UNIPROT ID: P02461 Full Name:

collagen, type III, alpha 1

Calculated MW: 1466 aa, 139 kDa

Positive Controls:

WB: rat skin tissue,

Background Information

Type III collagen is a fibrillar forming collagen comprising three a 1(III) chains and is expressed in early embryos and throughout embryogenesis (PMID: 9050868). In the adult, type III collagen is a major component of the extracellular matrix in a variety of internal organs and skin. It occurs in most soft connective tissues along with type I collagen (PMID: 2445760). COL3A1 gene encodes type III procollagen. Mutations in this gene are associated with Ehlers-Danlos syndrome types IV, and with aortic and arterial aneurysms (PMID: 10706896; 2243125; 18389341). This antibody raised against 24-152 aa of prepro α 1 (III) chain of human type III procollagen detects type III procollagen at 140-180 kDa and also in some lysates reveals a 70-kDa band which has been reported and may represent a cleaved form of type III procollagen (PMID: 17424834; 19648160; 22802960).

Notable Publications

Author	Pubmed ID	Journal	Application
Zhao-Nan Wang	38236154	J Burn Care Res	WB

Storage

Store at -20°C. Avoid exposure to light.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



rat skin tissue were subjected to SDS PAGE followed by western blot with HRP-22734 (Collagen Type III (N-terminal) antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.