### For Research Use Only

# OCT4/POU5F1 Polyclonal antibody

Catalog Number: 11263-1-AP

Featured Product

278 Publications

GenBank Accession Number:



**Basic Information** 

Catalog Number: 11263-1-AP Concentration:

750 ug/ml Source:

Rabbit Isotype:

Immunogen Catalog Number:

AG1794

Calculated MW: 39 kDa Observed MW:

50-60 kDa

POU class 5 homeobox 1

BC020712

5460

Q01860 Full Name:

GeneID (NCBI):

**UNIPROT ID:** 

**Purification Method:** Antigen affinity purification Recommended Dilutions: WB: 1:1000-1:5000

**Applications** 

**Tested Applications:** 

WB, ELISA

**Cited Applications:** 

WB. IP

Species Specificity: human, mouse, rat **Cited Species:** 

human, mouse, rat, pig, sheep, goat

**Positive Controls:** 

WB: HEK-293 cells, MCF-7 cells, NCCIT cells, MDA-MB-231 cells, mouse brain tissue, U-251 cells, rat brain

tissue, mouse embryo tissue

## **Background Information**

Octamer-binding protein 4 (OCT4), also known as POU5F1 or OCT3/4, is a member of the POU gene family and encoded by the human gene POU5F1 (POU domain class 5 transcription factor 1). OCT4 is a member of the Octamer  $class\ of\ transcription\ factors\ that\ recognize\ the\ 8-base\ pair\ consensus\ motif\ 5'-ATGCAAAT-3'.\ Expression\ of\ OCT4\ is$ associated with an undifferentiated, pluripotent stem cell phenotype and tumors. OCT4 is also expressed in the developing brain, with the highest levels found in the cortex, olfactory bulb, and the hippocampus. In the tumor area, Oct4 can also be recognized to be expressed in the cytoplasm (PMID: 30854141).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Yang Liu	27685621	Cell Death Dis	WB
Chenlong Li	31558707	Cell Death Dis	WB
XIAOYUE FENG	34528694	Oncol Rep	WB


Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 11263-1-AP (OCT4/POU5F1 antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.