## For Research Use Only

## IL-12/IL-23 p40 Polyclonal antibody

Catalog Number: 17645-1-AP 4 Publications





Basic Information	Catalog Number: 17645-1-AP	GenBank Accession Nu BC067498		Purification Method: Antigen affinity purification	
	Concentration:	GenelD (NCBI):		Recommended Dilutions:	
	400 ug/ml	3593		WB: 1:1000-1:4000	
	Source: Rabbit	UNIPROT ID: P29460		FC (Intra): 0.40 ug per 10^6 cells in a 100 µl suspension	
	Isotype: IgG Immunogen Catalog Number: AG11837	Full Name: interleukin 12B (natura stimulatory factor 2, cy lymphocyte maturatior	totoxic		
	A011037	Calculated MW: 328 aa, 37 kDa			
		Observed MW: 39 kDa			
Applications	Tested Applications:		Positive Controls:		
			WB: Recombin	ant protein,	
	Cited Applications: WB, IF	FC (Intra) : Jurkat cells,			
	Species Specificity: human				
	Cited Species: human, mouse				
Background Information	IL-12 and IL-23 are heterodimeric cytokines that share a common p40 subunit (PMID: 11114383). IL-12 is composed of the IL-12 p40 subunit linked to the IL-12 p35 subunit, and the heterodimer signals through the IL-12 receptor (IL-12R), which comprises the IL-12R $\beta$ 1 and IL-12R $\beta$ 2 subunits. IL-23 is composed of the IL-23 p19 subunit and the IL-1 p40 (IL-12/23p40) subunit, which signals through IL-23R and IL-12R $\beta$ 1 (PMID: 11114383; 26121196). IL-12/IL-23 p4 also exists as a monomer and as a homodimer which can act as a potent IL-12 antagonist (PMID: 8958912; 18783467). IL-12/IL-23 p40 is produced by antigen-presenting cells, such as dendritic cells (DCs), monocytes, macrophages, neutrophils and, to a lesser extent, B cells (PMID: 20476918).				
Notable Publications	Author	Pubmed ID Journal		Application	
	Xinlong Zang	33338567 Int J Pha	arm	IF	
		39713206 Explora	tion (Beijing)	WB,IF	
Notable Fabrications	Man Li	59/15200 Exptoila			
Notable Fabrications		37940431 Surgery	,		

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Recombinant protein IL-12B (Eg0431), IL-12 (Eg0575), IL-12A (Ag17625) were subjected to SDS PAGE followed by western blot with 17645-1-AP (IL-12B antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours 1x10^6 Jurkat cells were intracellularly stained with 0.4 ug IL-12/IL-23 p40 Polyclonal antibody (17645-1-AP) and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.4 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).