For Research Use Only

## UBC9 Polyclonal antibody

Catalog Number:10070-1-AP 3 Publications





Size:	BC051289	er: Purification Me Antigen affinity	
700 u <i>al</i> ml	GenelD (NCBI):	Recommended	
300 μg/ml Source:	7329 UNIPROT ID:	WB 1:1000-1:40 IHC 1:50-1:500	00
Rabbit	P63279	IF 1:50-1:500	
Isotype: IgG Immunogen Catalog Number: AG0111	Full Name: ubiquitin-conjugating enz (UBC9 homolog, yeast)	yme E2l	
	Calculated MW: 18 kDa		
	Observed MW: 18 kDa		
Tested Applications:	Ро	Positive Controls:	
	WB : HEK-293 cells, HeLa cells, m		mouse testis tissue, rat
WB, IP	WB IP		human prostate cance
Species Specificity:		tissue	
	IF	IF : HeLa cells,	
human			
TE buffer pH 9.0; (*) Altern	atively, antigen		
the E2 ubiquitin conjugating enzy protein. This protein is present at liver. Low amount of UBC9 is obse and skeletal muscle. In heart and	rme and participates in the cov a high level in spleen and lung erved in brain, whereas the 18 I muscle extracts the UBC9 anti	alent linking of SUMO-1 mc g. Moderate level of UBC9 is kDa band of UBC9 is barely bodies recognizes a 38 kDa	lecule to the target detected in kidney and risible or absent in hear
Author	Pubmed ID Journal		Application
	Pubmed ID Journal 35921711 Biochem F	Biophys Res Commun	Application WBJP
Xifeng Hu		Biophys Res Commun	Application WB,IP WB
	IgG Immunogen Catalog Number: AG0111 Tested Applications: IF/ICC, IHC, WB, ELISA Cited Applications: WB, IP Species Specificity: human, mouse, rat Cited Species: human Note-IHC: suggested antige TE buffer pH 9.0; (*) Altern retrieval may be performed buffer pH 6.0 UBC9 is also named as UBE2I, UB the E2 ubiquitin conjugating enzy protein. This protein is present at liver. Low amount of UBC9 is obse and skeletal muscle. In heart and	IgGubiquitin-conjugating enzImmunogen Catalog Number:(UBC 9 homolog, yeast)AG0111Calculated MW: 18 kDaDeserved MW: 18 kDa0 0bserved MW: 18 kDaTested Applications:Po IF/ICC, IHC, WB, ELISACited Applications:test WB, IPSpecies Specificity:tis human, mouse, ratCited Species: humanIFNote-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0UBC9 is also named as UBE2I, UBCE9 and belongs to the ubiquiti the E2 ubiquitin conjugating enzyme and participates in the cov protein. This protein is present at a high level in spleen and lung liver. Low amount of UBC9 is observed in brain, whereas the 18 I and skeletal muscle. In heart and muscle extracts the UBC9 antil	IgG ubiquitin-conjugating enzyme E2I   Immunogen Catalog Number: (UBC 9 homolog, yeast)   AG0111 Calculated MW:   18 kDa Observed MW:   18 kDa Observed MW:   18 kDa WB: HEK-293 cells, HeLa cells,   Cited Applications: testis tissue   WB, IP IHC : human lung cancer tissue   Species Specificity: tissue   human, mouse, rat IF : HeLa cells,   Cited Species: IF : HeLa cells,   human Note-IHC: suggested antigen retrieval with   TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 10070-1-AP (UBC9 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.

Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 10070-1-AP (UBC9 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using UBC9 antibody (10070-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).