# For Research Use Only

# GDI2 Polyclonal antibody

Catalog Number: 10116-1-AP

13 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 10116-1-AP BC005145
Size: GeneID (NCBI): 2665
Source: UNIPROT ID: Rabbit P50395
Isotype: Full Name:

GDP dissociation inhibitor 2

Immunogen Catalog Number: Calculated MW:

AG0170 47 kDa

Observed MW: 46 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:2000-1:16000 IHC 1:50-1:500

### **Applications**

Tested Applications:
IHC, WB, ELISA
Cited Applications:
IF, IHC, WB
Species Specificity:
human, mouse, rat
Cited Species:

human, monkey, mouse, yeast

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### **Positive Controls:**

WB: A431 cells, rat brain tissue, mouse spleen tissue, rat spleen tissue, HeLa cells, mouse brain tissue IHC: human gliomas tissue, mouse brain tissue

# **Background Information**

GDP dissociation inhibitors (GDIs) are proteins that regulate the GDP-GTP exchange reaction of members of the rab family, GDIs can bind and release GDP-bound Rab proteins from membranes. Two GDI proteins towards different Rab proteins have been identified. GDI1 interacts with almost all of the Rab proteins, while GDI2 interacts with Rabll but not Rab3A. GDI2 distributes ubiquitously, displaying a membrane bound location in perinuclear regions of cells. GDI-2 was thought to be involved in cellular response to insulin. It electrophoreses as a 46kd protein in SDS-PAGE. (PMID: 7929030; PMID: 19570034). This antibody can bind both GDIs for the close sequences.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Zongjuan Ming	25367783	Diagn Pathol	IHC
Anil Kumar Ganga	33989527	Curr Biol	IF
Rosamaria Orlando	25063582	Neuropharmacology	WB

# Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


# **Selected Validation Data**



A431 cells were subjected to SDS PAGE followed by western blot with 10116-1-AP (GDI2 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 10116-1-AP (GDI 2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 10116-1-AP (GDI2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).