For Research Use Only

Zyxin Polyclonal antibody

Catalog Number: 10330-1-AP

Featured Product

7 Publications

BC008743

GeneID (NCBI):

UNIPROT ID:

Q15942 Full Name:

zyxin

GenBank Accession Number:



Basic Information

Catalog Number: 10330-1-AP

Size: 350 µg/ml Source: Rabbit

lgG

Immunogen Catalog Number:

AG0419

Isotype:

Calculated MW: 80 kDa

Observed MW: 78 kDa

Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:1000-1:5000 IF 1:50-1:500

Applications

Tested Applications: IF/ICC, WB, ELISA Cited Applications:

IF, IP, WB

Species Specificity:

human
Cited Species:
human, mouse, rabbit

Positive Controls:

WB: A549 cells, HeLa cells, MCF-7 cells

IF: A549 cells,

Background Information

Focal adhesions are actin-rich structures that enable cells to adhere to the extracellular matrix and at which protein complexes involved in signal transduction assemble. Zyxin (ZYX) is a zinc-binding phosphoprotein that concentrates at focal adhesions and along the actin cytoskeleton. Zyxin has an N-terminal proline-rich domain and three LIM domains in its C-terminal half. The proline-rich domain may interact with SH3 domains of proteins involved in signal transduction pathways while the LIM domains are likely involved in protein-protein binding. Zyxin may function as a messenger in the signal transduction pathway that mediates adhesion-stimulated changes in gene expression and may modulate the cytoskeletal organization of actin bundles.

Notable Publications

Author	Pubmed ID	Journal	Application
Gaoming Li	30328655	Cell Prolif	IF
Rong Yan	34657146	Cell Death Dis	WB,IF
Natalia Schiefermeier	24841562	J Cell Biol	IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 10330-1-AP (Zyxin antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed A549 cells using Zyxin antibody (10330-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).