## For Research Use Only

## Annexin A11 Polyclonal antibody

Catalog Number: 10479-2-AP

Featured Product

9 Publications

BC007564

GenBank Accession Number:



**Basic Information** 

Catalog Number: 10479-2-AP

Size: GeneID (NCBI):

600 μ g/ml 31

Source: UNIPROT ID:
Rabbit P50995
Isotype: Full Name:
IgG annexin A11

Immunogen Catalog Number: Calculated MW:

AG0729 56 kDa

Observed MW: 56-60 kDa **Purification Method:** 

Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:8000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF 1:50-1:500

**Applications** 

**Tested Applications:** 

IF/ICC, IHC, IP, WB, ELISA

Cited Applications:

WB, IF, IHC

Species Specificity: human, mouse, rat Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:** 

WB: HeLa cells, mouse uterus tissue

IP: HeLa cells.

IHC: human ovary tumor tissue, human breast cancer tissue, human kidney tissue, human lung cancer tissue

F: HeLa cells,

**Background Information** 

Annexin A11 (Anxa11) is one member of annexins that are Ca2+-regulated phospholipid-binding proteins. Annexin A11 plays an important role in cell division, differentiation, apoptosis, vesicle trafficking and Ca2+ signaling. Annexin A11 dysregulation is involved in the progression, drug-resistance, recurrence of systemic autoimmune disease and cancer.

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Mridul Johari	36134701	Ann Clin Transl Neurol	IHC
Elisa Teyssou	33218681	Neurobiol Aging	WB,IHC
Keiichi Takizawa	36439984	iScience	IHC

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10479-2-AP (Annexin A11 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




HeLa (WT and ANXA11 KO) lysates prepared with RIPA buffer, 50  $\mu$  g protein loaded. 10479-2-AP incubated at 1:2000 at 4°C overnight in 5% milk in TBST. Ponceau stained transfers shown on right. Data provided by YCharOS, an open science company with a mission to validate commercial antibodies to improve scientific reproducibility and transparency.




HeLa lysates prepared and IP of ANXA11 performed using 1.0  $\,\mu$  g of 10479-2-AP coupled to protein A-Sepharose beads. The Ponceau stained transfers of each blot are shown. Data provided by YCharOS, an open science company with a mission to validate commercial antibodies to improve scientific reproducibility and transparency.




Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 10479-2-AP (Annexin A11 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9:0).



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 10479-2-AP (Annexin A11 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using Annexin A11 antibody (10479-2-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).



IP result of anti-Annexin A11 (IP:10479-2-AP, 4ug; Detection:10479-2-AP 1:1000) with HeLa cells lysate 2320 ug.