## For Research Use Only

## transgelin/SM22 Polyclonal antibody

Catalog Number:10493-1-AP


Featured Product 109 Publications




Basic Information	Catalog Number: 10493-1-AP	GenBank Accession BC004927	n Number:	Purification Method: Antigen affinity purification	
	Size:	GeneID (NCBI):		Recommended Dilutions:	
	750 μg/ml Source:	6876 UNIPROT ID:		WB 1:5000-1:50000 IHC 1:50-1:500	
	Rabbit	Q01995		IF 1:200-1:800	
	Isotype: IgG	Full Name: transgelin			
	Immunogen Catalog Number: AG0764	Calculated MW: 22 kDa			
		Observed MW: 19-22 kDa			
Applications	Tested Applications: IF/ICC,IF-P, IHC, WB, ELISA		Positive Cont	Positive Controls:	
	Cited Applications: tissue, moust   WB, IF, FC, IHC IHC : moust			ouse colon tissue, Caco-2 cells, human colon mouse stomach tissue, rat colon tissue	
				use heart tissue, human colon cancer tissue	
			human heart	tissue	
	Cited Species: human, rat, mouse, canine		IF : mouse hea	art tissue,	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	The transgelin family is a group of proteins that belong to 22kd actin-related calponin superfamily. Of all three isoforms, transgelin 1 is the best characterized. Transgelin 1, also known as SM22alpha, is a specific marker for differentiated smooth muscle cells. Transgelin 2, also known as SM22 beta, is expressed by both smooth muscle an non-smooth muscle cells in a temporally and spatially regulated pattern. Trangenlin 3, also known as NP25, is only found in highly differentiated neuronal cells. This antibody was generated against full length transgelin 1 protein. can cross-react with other two transgelins based on the sequence similarity.				
Notable Publications	Author	Pubmed ID Jou	ırnal	Application	
	Zhuqing Li		dox Biol	IF	
	Yan Yan		prod Biol Endocrin		
	Tao Li	· · · · · · · · · · · · · · · · · · ·	urosci Lett	WB	
Storage	Storage: Store at -20°C. Stable for one yea				

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed mouse heart tissue using 10493-1-AP (transgelin/SM22 antibody) at dilution of 1:50 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



mouse colon tissue were subjected to SDS PAGE followed by western blot with 10493-1-AP (transgelin/SM22 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Various lysates were subjected to SDS PAGE followed by western blot with 10493-1-AP (transgelin/SM22 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human heart tissue slide using 10493-1-AP (transgelin/SM22 antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human heart tissue slide using 10493-1-AP (transgelin/SM22 antibody at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of (4% PFA) fixed mouse heart tissue using 10493-1-AP (transgelin/SM22 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse heart tissue using transgelin/SM22 antibody (10493-1-AP) at dilution of 1:400 and CoraLite@488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 10493-1-AP (transgelin/SM22 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).