

For Research Use Only

FASN Polyclonal antibody

Catalog Number: 10624-2-AP

Featured Product

260 Publications



Basic Information

Catalog Number:

10624-2-AP

Concentration:

650 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG0975

GenBank Accession Number:

BC007909

GeneID (NCBI):

2194

UNIPROT ID:

P49327

Full Name:

fatty acid synthase

Calculated MW:

272 kDa

Observed MW:

250-272 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB: 1:5000-1:50000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC: 1:500-1:2000

IF/ICC: 1:50-1:500

FC (Intra): 0.40 ug per 10⁶ cells in a 100 µl suspension

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), IP, ELISA

Cited Applications:

WB, IHC, IF, IP, CoIP

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse, rat, pig, chicken, zebrafish, bovine, sheep, goat, duck

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, HeLa cells, HepG2 cells, SH-SY5Y cells, mouse liver tissue, rat liver tissue

IP: mouse liver tissue,

IHC: human breast cancer tissue, mouse brain tissue, mouse brown adipose tissue, rat brown adipose tissue

IF/ICC: HeLa cells,

FC (Intra): HeLa cells,

Background Information

FASN gene codes for an enzyme essential for de novo fatty acid synthesis and cellular substrate energy metabolism. Active FASN is a homodimer in which each peptide subunit has a molecular weight of 260 kDa. FASN is overexpressed in various types of cancer including glioblastomas and is a potential therapeutic target. Recently FASN has been reported to contribute to the neurogenesis since FASN mutation caused intellectual disability in mice.

Notable Publications

Author	Pubmed ID	Journal	Application
Wei Xu	32935679	Food Funct	WB
Zhao Yang	36120828	J Biochem Mol Toxicol	WB
Haibo Cao	36114560	Cell Biosci	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10624-2-AP (FASN antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.




WB result of FASN antibody (10624-2-AP; 1:10000; incubated at room temperature for 1.5 hours) with sh-Control and sh-FASN transfected HeLa cells.




1X10⁶ HeLa cells were intracellularly stained with 0.4 ug Anti-Human FASN (10624-2-AP) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).




Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 10624-2-AP (FASN antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse brown adipose tissue slide using 10624-2-AP (FASN antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded rat brown adipose tissue slide using 10624-2-AP (FASN antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-FASN (IP:10624-2-AP, 4ug; Detection:10624-2-AP 1:10000) with mouse liver tissue lysate 2400 ug.



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 10624-2-AP (FASN antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using FASN antibody (10624-2-AP) at dilution of 1:200 and Multi-rAb CoraLite® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).