## For Research Use Only

## BMI1 Polyclonal antibody

Catalog Number: 10832-1-AP

Featured Product

34 Publications

BC011652

GenBank Accession Number:



**Basic Information** 

Catalog Number: 10832-1-AP

 Size:
 GeneID (NCBI):

 400 μ g/ml
 648

Source: UNIPROT ID: Rabbit P35226
Isotype: Full Name:

gG BMI1 polycomb ring finger oncogene

Immunogen Catalog Number: Calculated MW:

AG1286 37 kDa

Observed MW:

37-43 kDa

**Applications** 

Tested Applications:

IF/ICC, IHC, IP, WB, ELISA

Cited Applications: ChIP, CoIP, IF, IHC, WB Species Specificity: human, mouse

Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: U-937 cells, HEK-293 cells, NCCIT cell, mouse

**Purification Method:** 

WB 1:500-1:2000

protein lysate

IHC 1:20-1:200

IF 1:20-1:200

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

brain tissue, K-562 cells

IP: U-937 cells,

IHC: human liver cancer tissue,

IF: HepG2 cells,

**Background Information** 

BMI- 1 is one of polycomb group genes, which together with Ring1 strongly enhances the E3 ubiquitin ligase activity of the Ring2 catalytic subunit. Bmi1 plays an important role in the regulation of cell proliferation and senescence through repression of the p16Ink4a and p19Arf genes and is required for maintenance of adult hematopoietic and neural stem cells. The antibody 10832-1-AP detected proteins of 45-48kda, which may include phosphorylated isoforms of the protein.

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Chenlong Li	31558707	Cell Death Dis	WB
Hongbo Wang	33014838	Front Oncol	WB,IHC
Jin-Yan Liu	36285479	Cancer Sci	WB,IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## **Selected Validation Data**




WB results of BMI antibody (10832-1-AP, 1:20000) with si-Control and si-BMI transfected HEK293 cells..




U-937 cells were subjected to SDS PAGE followed by western blot with 10832-1-AP (BMI1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours



Immunohistochemical analysis of paraffinembedded human liver cancer using 10832-1-AP (BMI1 antibody) at dilution of 1:50 (under 10x lens).



Immunofluorescent analysis of HepG2 cells, using 10832-1-AP and Rhodamine-labeled goat antirabbit IgG (red). Blue pseudocolor = DAPI (fluorescent DNA dye).



IP result of anti-BMI1 (IP:10832-1-AP, 4ug; Detection:10832-1-AP 1:500) with U-937 cells lysate 4000ug.