For Research Use Only

EXOC5 Polyclonal antibody

Catalog Number:17593-1-AP

Featured Product 13 Publications




Basic Information	Catalog Number: 17593-1-AP	GenBank Accession Number: BC041126		Purification Method: Antigen affinity purification	
	Concentration:	Concentration:GeneID (NCBI):700 ug/ml10640Source:UNIPROT ID:Rabbit000471		Recommended Dilutions: IP: 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC: 1:20-1:200	
	700 ug/ml				
	Source:				
				IF/ICC: 1:10-1:100	
	Isotype: IgG	Full Name: exocyst complex component 5			
	Immunogen Catalog Number: AG11524	Calculated MW: 708 aa, 82 kDa Observed MW: 77 kDa			
Applications	Tested Applications:		Positive Controls:		
	IHC, IF/ICC, IP, ELISA		IP: mouse brain tissue,		
	Cited Applications: WB, IHC, IF		IHC : human testis tissue, human brain		
	Species Specificity:		IF/ICC : HepG2 cells,		
	human, mouse, rat				
	Cited Species:				
	human, mouse, rat				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	EXOC5 (SEC10), a component of the exocyst complex, is a 77-kDa protein with a broad tissue distribution (PubM 9119050). The exocyst complex, composed of eight evolutionarily conserved subunits (SEC3, SEC5, SEC6, SEC8 SEC10, SEC15, EXO70, and EXO84), is essential for targeting exocytic vesicles to specific docking sites on the plasma membrane. The complex is also essential for the biogenesis of epithelial cell surface polarity.				
	Author	Pubmed ID	Journal		Application
Notable Publications			Am J Physiol Endo	crinol Metab	
Notable Publications	Brent A Fujimoto	31593505	AIII J FIIYSIUL LIUUU		WB,IF
Notable Publications		31593505 31142545	Development		WB,IF WB
Notable Publications	Ying Mao				


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




IP result of anti-EXOC5 (IP:17593-1-AP, 3ug; Detection:17593-1-AP 1:500) with mouse brain tissue lysate 4000ug.




Immunofluorescent analysis of HepG2 cells, using EXOC5 antibody 17593-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



Immunohistochemical analysis of paraffinembedded human testis tissue slide using 17593-1-AP (EXOC5 antibody at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human testis tissue slide using 17593-1-AP (EXOC5 antibody at dilution of 1:50 (under 40x lens).



Various lysates were subjected to SDS PAGE followed by western blot with 17593-1-AP (EXOC5 antibody) at dilution of 1:40000 incubated at room temperature for 1.5 hours.