

AHR Polyclonal antibody

Catalog Number: 17840-1-AP

Featured Product

46 Publications

Basic Information

Catalog Number:

17840-1-AP

Size:

500 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG12193

GenBank Accession Number:

BC070080

GeneID (NCBI):

196

UNIPROT ID:

P35869

Full Name:

aryl hydrocarbon receptor

Calculated MW:

848 aa, 96 kDa

Observed MW:

105-110 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:4000

IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

Applications

Tested Applications:

IHC, IP, WB, ELISA

Cited Applications:

WB, IF, IHC, CoIP, ChIP

Species Specificity:

human, mouse, rat

Cited Species:

human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HeLa cells, HepG2 cells, K-562 cells, MCF-7 cells

IP : PC-3 cells,

IHC : human lung cancer tissue, mouse small intestine tissue, human brain tissue

Background Information

The aryl hydrocarbon receptor (AHR) is a ligand-activated transcription factor that has been largely regarded as a mediator of xenobiotic metabolism [PMID:18483242]. It plays a part role in physiologic activities, including attenuation of the acute phase response, cytokine signaling, T helper (TH)17 immune cell differentiation, modulation of NF-κB activity, and regulation of hormonal signaling [PMID:20423157,18540824]. It also mediates transcription factor sequestering away from a gene promoter or tethering of the AHR to a transcription factor on a promoter. AHR calculated molecular masses differ by <10%, compared with the apparent molecular masses predicted from SDS-PAGE for the two receptors (105 and 95 kDa, respectively). (PMID: 8246913)

Notable Publications

Author	Pubmed ID	Journal	Application
Susu Lin	36169685	Psychopharmacology (Berl)	WB
Rongyao Liang	34555451	J Ethnopharmacol	WB
Jie Xiong	32941808	Exp Cell Res	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926


E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Immunohistochemical analysis of paraffin-embedded human lung cancer tissue slide using 17840-1-AP (AHR antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 17840-1-AP (AHR antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



IP result of anti-AHR (IP:17840-1-AP, 4ug; Detection:17840-1-AP 1:500) with PC-3 cells lysate 1880ug.



WB result of AHR antibody (17840-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-AHR transfected HepG2 cells.