For Research Use Only

APOA4 Polyclonal antibody Catalog Number: 17996-1-AP 10 Publications




| Basic Information | Catalog Number: 17996-1-AP | GenBank Accession BC074764 | Number: | Purification Method: Antigen affinity purification | |
|------------------------|---|-----------------------------------|------------------------|--|--|
| | Size: 600 ug/ml | GenelD (NCBI): 337 | | Recommended Dilutions: WB 1:2000-1:16000 | |
| | Source: Rabbit | Full Name: apolipoprotein A-I\ | 1 | IHC 1:50-1:500 IF/ICC 1:200-1:800 | |
| | lsotype: IgG | Calculated MW: 396 aa, 45 kDa | | | |
| | Immunogen Catalog Number: AG12454 | Observed MW: 45-46 kDa | | | |
| Applications | Tested Applications: | Positive Controls: | | | |
| | WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC | | WB : human plasma | WB : human plasma tissue, HepG2 cells, human plasma | |
| | Species Specificity: | icies Specificity: | | | |
| | Cited Species: human, mouse | | | | |
| | Note-IHC: suggested antige TE buffer pH 9.0; (*) Alterno retrieval may be performed buffer pH 6.0 | atively, antigen | | | |
| Background Information | APOA4 is a major protein component of chylomicrons in postprandial lymph and plasma. It is synthesized in the small intestine and the liver, attached to chylomicrons by enterocytes, and secreted into intestinal lymph during fa absorption. APOA4 is intimately involved in metabolism and has protective roles in cardiovascular diseases like atherosclerosis. APOA4 can promote ins secretion and maintain glucose homeostasis. It also has potent antioxidar and anti-inflammatory properties. | | | | |
| Notable Publications | Author | Pubmed ID Jou | rnal | Application | |
| | Yohei Misumi | 36094798 Am | yloid | WB | |
| | | 31753849 J Ex | p Med | IHC | |
| totable i abtications | Yalong Wang | J1/JJ049 JLA | | inc | |
| | | | oteomics | WB | |

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





WWW.PTGLAB.COM

human plasma were subjected to SDS PAGE followed by western blot with 17996-1-AP (APOA4 Antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human liver tissue slide using 17996-1-AP (APOA4 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using APOA4 antibody (17996-1-AP) at dilution of 1:400 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).