For Research Use Only

CYR61/CCN1 Polyclonal antibody

Catalog Number: 26689-1-AP

Featured Product

29 Publications



Basic Information

Catalog Number: GenBank Accession Number: 26689-1-AP BC001271 GeneID (NCBI): Size: 750 μg/ml **UNIPROT ID:** Source: Rabbit 000622 Isotype: Full Name:

cysteine-rich, angiogenic inducer, 61

Calculated MW: Immunogen Catalog Number:

AG25129 42 kDa

> Observed MW: 42 kDa

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA Cited Applications: WB, IF, IHC Species Specificity:

human **Cited Species:** human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method: Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:4000

IHC 1:50-1:500 IF 1:50-1:500

Positive Controls:

WB: A431 cells, MDA-MB-453s cells, HeLa cells IHC: human colon cancer tissue, human ovary tumor

IF: A431 cells,

Background Information

CYR61 is a member of the CYR61/CTGF/NOV (CCN) protein family. CYR61 participated in cell mitogenesis, cellular adhesion, migration, differentiation, angiogenesis, and survival. Cyr61 is especially associated with diseases related to chronic inflammation, including RA, Crohn's disease and ulcerative colitis. CYR61 may serve essential roles as either an oncogene or a tumor suppressor, depending on the cancer cell type. CYR61 also induces angiogenesis, which supplies oxygen and nutrients to tumors during growth. CYR61 can also play a role in the proliferation, invasion, survival, and metastasis of cancer cells.

Notable Publications

Author	Pubmed ID	Journal	Application
Xiaobing Miao	32976820	Exp Mol Pathol	WB,IHC
Gang Xu	34480788	Environ Toxicol	WB
Nathan C Balukoff	33188200	Nat Commun	WB,IF

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 26689-1-AP (CYR61/CCN1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 26689-1-AP (CYR61/CCN1 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 26689-1-AP (CYR61/CCN1 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed A431 cells using 26689-1-AP (CYR61/CCN1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).