For Research Use Only

GFAP Monoclonal antibody

Catalog Number:60190-1-lg 195 Publications



Basic Information

 Catalog Number:
 GenBank Accession Number:

 60190-1-lg
 BC013596

 Concentration:
 GeneID (NCBI):

 2000 ug/ml
 2670

 Source:
 UNIPROT ID:

Mouse P14136
Isotype: Full Name:

IgG2a glial fibrillary acidic protein

Immunogen Catalog Number:Calculated MW:AG10452432 aa, 50 kDa

Observed MW: 45-52 kDa Purification Method:

Protein A purification CloneNo.:

4B2E10

Recommended Dilutions: WB: 1:5000-1:50000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:500-1:10000 IF-P: 1:50-1:500

Applications

Tested Applications: WB, IHC, IF-P, IP, ELISA Cited Applications:

WB, IHC, IF, Dot blot Species Specificity:

human, mouse, rat, pig, rabbit

Cited Species:

human, mouse, rat, pig, rabbit, monkey

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

WB: rat brain tissue, human brain tissue, pig brain tissue, U-251 cells, rat cerebellum, mouse brain, mouse cerebellum, rabbit brain

IP: mouse brain tissue,

IHC: human brain tissue, human gliomas tissue, mouse brain tissue, rat brain tissue

IF-P: rat brain tissue, mouse brain tissue

Background Information

GFAP (Glial fibrillary acidic protein), an intermediate-filament (IF) protein, is specifically expressed in cells of astroglial lineage and is widely used to mark the astroglia in the brain. It is also used as a marker for intracranial and intraspinal tumors arising from astrocytes. This antibody is not recommended for immunocytofluorescent assays. It is not suitable for frozen sections.

Notable Publications

Author	Pubmed ID	Journal	Application
Kenji Sakamoto	29110956	J Pharmacol Sci	IHC
Yingying Wang	36174863	Int J Biol Macromol	IF
Shuisheng Yu	34646136	Front Pharmacol	IF

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3 $\,$

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunohistochemical analysis of paraffinembedded human brain tissue slide using 60190-1-Ig (GFAP Antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieved with Citric acid buffer, pH6.0.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 60190-1-Ig (GFAP antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 60190-1-Ig (GFAP antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human brain tissue slide using 60190-1-Ig (GFAP Antibody) at dilution of 1:5000 (under 40x lens). Heat mediated antigen retrieved with Citric acid buffer, pH6.0.




Various lysates were subjected to SDS PAGE followed by western blot with 60190-1-lg (GFAP antibody) at dilution of 1:100000 incubated at room temperature for 1.5 hours.




IP result of anti-GFAP (IP:60190-1-Ig, 5ug; Detection:60190-1-Ig 1:1000) with mouse brain tissue lysate 2640ug.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded rat brain tissue using GFAP antibody (60190-1-Ig, Clone: 4B2E10) at dilution of 1:200 and CoraLite488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse brain tissue using GFAP antibody (60190-1-Ig, Clone: 4B2E10) at dilution of 1:800 and CoraLite® 594-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat brain tissue slide using 60190-1-lg (GFAP antibody) at dilution of 1:20000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).