#### For Research Use Only

# Anti-Mouse CD8a (53-6.7)

Catalog Number:65069-1-lg 4 Publications



**Basic Information** 

Catalog Number:

65069-1-lg

Size:

500ug, 0.5 mg/ml

Source: Rat Isotype:

IgG2a, kappa

GenBank Accession Number:

BC030679

GeneID (NCBI): 12525

UNIPROT ID:

P01731

Full Name:

CD8 antigen, alpha chain

Purification Method: Affinity purification

CloneNo.: 53-6.7

**Applications** 

**Tested Applications:** 

FC

Cited Applications:

FC

Species Specificity:

Mouse

**Cited Species:** 

mouse

### **Background Information**

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8  $\alpha$  or as a heterodimer of CD8  $\alpha$  and CD8  $\beta$  (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8  $\alpha$   $\beta$  heterodimer while CD8  $\alpha$   $\alpha$  homodimers alone have been found on some gut intraepithelial T cells , on some T cell receptor (TCR)  $\gamma$   $\delta$  T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Huajing Wang	34090420	MalarJ	FC
Wenxuan Xu	36134371	Nanoscale Adv	FC
Yuqi Yang	38291473	Cell Commun Signal	

Storage


Storage

Store at 2-8°C. Stable for one year after shipment.

Storage Buffer:

Borate buffered saline, pH 8.2.

## Selected Validation Data



1X10^6 C57BL/6 mouse splenocytes were surface stained with CoraLite® Plus 647 Anti-Mouse CD3 (17A2) and 0.5 ug Anti-Mouse CD8a (65069-1-lg, Clone:53-6.7) or 0.5 ug Rat lgG2a Isotype Control (2A3) and FITC anti-rat lgG2a Antibody at dilution 1:100. Cells were not fixed.