For Research Use Only

VCAM-1/CD106 Monoclonal antibody

Catalog Number:66294-1-lg 36 Publications





Basic Information	Catalog Number: 66294-1-lg	GenBank Accession Number: BC017276		Purification Method: Protein A purification	
	Concentration: 2000 ug/ml	GenelD (NCBI): 7412		CloneNo.: 1B12F12	
	Source: UNIPROT ID: Mouse P19320			Recommended Dilutions: IHC 1:2000-1:8000 IF-P 1:200-1:800 1	
	Isotype: IgG2a				
	Immunogen Catalog Number:Calculated MW:AG24697739 aa, 81 kDa				
	Observed MW: 110 kDa				
Applications	Tested Applications: IHC, IF-P, ELISA		Positive Controls: IHC : human tonsillitis tissue, human lung cancer tissue		
	Cited Applications:				
	IHC, IF IF-P: human tonsillitis tissue, Species Specificity:				
	human Cited Species: human, rat				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	Vascular cell adhesion molecule 1 (VCAM1), also known as CD106, is a 110-kDa transmembrane glycoprotein belonging to the immunoglobulin gene superfamily. VCAM1 is expressed by cytokine-activated endothelium, interacts with integrin VLA4 (α 4 β 1) present on the surface of leukocytes, and mediates both adhesion and signal transduction. It is also expressed either constitutively or inducibly in a variety of other cell types, including vascula smooth muscle cells, differentiating skeletal muscle cells, renal and neural epithelial cells, macrophages (Kupffer cells), dendritic cells, and bone marrow stromal cells (PMID: 7507076, 11359843).				
Notable Publications	Author	Pubmed ID Jo	urnal	Application	
	Zhuqing Li	34607159 Re	dox Biol	IF	
	Kaho Kanno	34638873 Int	t J Mol Sci		
	Tong Lin	33002827 Ph	ytomedicine		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data






Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66294-1-1g (VCAM-1/CD106 antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).


Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66294-1-1g (VCAM-1 antibody) at dilution of 1:4000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using VCAM-1/CD106 antibody (66294-1-Ig, Clone: 1B12F12) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using VCAM-1 antibody (66294-1-Ig, Clone: 1B12F12) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66294-1-1g (VCAM-1/CD106 antibody) at dilution of 1:5000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).