For Research Use Only

PR Monoclonal antibody

Catalog Number:66300-1-lg 2 Publications



Basic Information

Catalog Number:

GenBank Accession Number: NM_000926

Purification Method:

66300-1-lg

GeneID (NCBI):

Protein A purification

Size:

CloneNo.:

1100 µg/ml

UNIPROT ID:

3D1D12

Source: Mouse

P06401

Recommended Dilutions: IHC 1:5000-1:15000

Isotype:

Full Name:

lgG1 Immunogen Catalog Number: progesterone receptor Calculated MW:

AG22992

933 aa, 99 kDa

Applications

Tested Applications:

IHC, ELISA

Cited Applications:

IHC

Species Specificity:

human

Cited Species:

human

Positive Controls:

IHC: human breast cancer tissue,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

PGR, also named as NR3C3 and PR, belongs to the nuclear hormone receptor family and NR3 subfamily. The steroid hormones and their receptors are involved in the regulation of eukaryotic gene expression and affect cellular proliferation and differentiation in target tissues. Progesterone receptor isoform B (PRB) is involved activation of c-SRC/MAPK signaling on hormone stimulation. The ER and PR status has been used as a predictor of breast carcinoma responsiveness to endocrine therapy and as a prognostic indicator for early recurrence.

Notable Publications

Author	Pubmed ID	Journal	Application
Dan Shu	36194178	Ann Med	IHC
Jiaojiao Wang	28765906	Mol Med Rep	IHC

Storage


Storage:


Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data







Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66300-1-lg (PR antibody) at dilution of 1:9900 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66300-1-1g (PR antibody) at dilution of 1:3200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).