For Research Use Only

RSPO3 Monoclonal antibody

Catalog Number: 66314-1-Ig



Basic Information

 Catalog Number:
 GenBank Accession Number:

 66314-1-lg
 BC022367

 Size:
 GeneID (NCBI):

 1900 μg/ml
 84870

 Source:
 UNIPROT ID:

 Mouse
 Q9BXY4

 Isotype:
 Full Name:

 IgG2b
 R-spondin 3 I

IgG2b R-spondin 3 homolog (Xenopus Immunogen Catalog Number: laevis)

32 kDa

AG9899 Calculated MW:

272 aa, 31 kDa

Observed MW:

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA Species Specificity:

humar

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

ession Number: Purification Method:

Protein A purification CloneNo.:

1E4F1

Recommended Dilutions: WB 1:1000-1:4000 IHC 1:50-1:500 IF 1:50-1:500

Positive Controls:

WB: human skeletal muscle tissue, A549 cells

IHC: human lung cancer tissue,

IF: A549 cells,

Background Information

RSPO3, also named as R-spondin-3, is a 272 amino acid protein, which contains 1 TSP type-1 domain and 2 FU (furinlike) repeats. RSPO3 may be a secreted protein and belongs to the R-spondin family. RSPO3 is expressed at higher level in placenta, small intestine, fetal thymus and lymph node. RSPO3 is an activator of the canonical Wnt signaling pathway by acting as a ligand for LGR4-6 receptors. The four R-spondins (RSPO1-4) and three related leucinerich repeat-containing G-protein coupled receptors, LGR4, LGR5, and LGR6 (LGR4-6), constitute a ligandreceptor system that plays critical roles in development, stem cell survival, and oncogenesis. Ectopic expression of RSPO2/3in mouse mammary epithelial cells led to an increase in invasiveness in vitro and in tumor formation and metastasis in vivo.

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




human skeletal muscle tissue were subjected to SDS PAGE followed by western blot with 66314-1-Ig (RSPO3 Antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 66314-1-1g (RSPO3 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 66314-1-1g (RSPO3 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed A549 cells using 66314-1-Ig(RSPO3 antibody) at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).