

For Research Use Only

LAIR1 Monoclonal antibody

Catalog Number: 67220-1-Ig **1 Publications**



Basic Information

Catalog Number: 67220-1-Ig	GenBank Accession Number: BC027899	Purification Method: Protein A purification
Size: 2100 µg/ml	GeneID (NCBI): 3903	CloneNo.: 1A5D1
Source: Mouse	UNIPROT ID: Q6GTX8	Recommended Dilutions: WB 1:1000-1:4000 IHC 1:50-1:500 IF 1:200-1:800
Isotype: IgG2a	Full Name: leukocyte-associated immunoglobulin-like receptor 1	
Immunogen Catalog Number: AG14459	Calculated MW: 287 aa, 31 kDa	
	Observed MW: 40-50 kDa	

Applications

Tested Applications: IF-P, IHC, WB, ELISA	Positive Controls: WB : THP-1 cells, HL-60 cells, TF-1 cells
Cited Applications: IF, IHC, WB	IHC : human tonsillitis tissue,
Species Specificity: Human	IF : human tonsillitis tissue,
Cited Species: human	

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Leukocyte-associated immunoglobulin-like receptor 1 (LAIR1) is a transmembrane glycoprotein with a single immunoglobulin-like domain and a cytoplasmic tail containing two immune receptor tyrosine-based inhibitory motifs (PMID: 9285412). LAIR1 is expressed on the majority of human PBMCs, including NK, T, B, monocytes, and dendritic cells, as well as the majority of thymocytes (PMID: 10229813). It functions as an inhibitory receptor that plays a constitutive negative regulatory role on cytolytic function of NK cells, B cells and T cells. LAIR1 is a collagen receptor (PMID: 16754721). Tumor-expressed collagens can modulate immune cell function through the inhibitory collagen receptor LAIR1 (PMID: 21955987).

Notable Publications

Author	Pubmed ID	Journal	Application
Zhansheng Fang	35702880	Cancer Med	WB,IHC,IF

Storage

Storage:
Store at -20°C.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:
T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




THP-1 cells were subjected to SDS PAGE followed by western blot with 67220-1-Ig (LAIR1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 67220-1-Ig (LAIR1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using 67220-1-Ig (LAIR1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using LAIR1 antibody (67220-1-Ig, Clone: 1A5D1) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using LAIR1 antibody (67220-1-Ig, Clone: 1A5D1) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).