For Research Use Only

## NDUFS1 Monoclonal antibody

Catalog Number:68253-1-lg




Basic Information	Catalog Number: 68253-1-lg	GenBank Accession Numbe BC030833	er:	Purification Method: Protein G purification	
	<mark>Size:</mark> 500 μg/ml	Genel D (NCBI): 4719		CloneNo.: 3H5E8	
	Source: Mouse Isotype: IgG1 Immunogen Catalog Number: AG3135	UNIPROT ID: P28331		Recommended Dilutions: WB 1:5000-1:50000	
		Full Name.		IHC 1:500-1:2000 IF 1:400-1:1600	
	Applications			Tested Applications: IF/ICC, IHC, WB, ELISA Species Specificity: Human, Mouse, Rat, Pig, Rabbit Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate	
Background Information	buffer pH 6.0 The multisubunit NADH:ubiquinone oxidoreductase (75 kDa subunit, mitochondrial)(NDUFS1) is the first enzyme complex in the electron transport chain of mitochondria. It is also named as Complex I-75kD. By use of chaotropic agents, complex I can be fragmented into 3 different fractions: a flavoprotein fraction, an iron-sulfur protein (IP) fraction, and a hydrophobic protein (HP) fraction. NDUFS1 is the largest subunit of complex I and it is a component of the iron-sulfur (IP) fragment of the enzyme. NDUFS1 has some isoforms with the molecular mass of 68-81 kDa.				
Storage	Storage: Stora at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	after shipment. 50% glycerol pH 7.3.	otorms with	i the molecular mass of 68-81 kDa.	

 For technical support and original validation data for this product please contact:


 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 68253-1-1g (NDUFS1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with Lamin B1 Monoclonal antibody (66095-1-1g) as loading control.



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 68253-1-Ig (NDUFS1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 68253-1-Ig (NDUFS1 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using NDUFS1 antibody (68253-1-Ig, Clone: 3H5E8) at dilution of 1:800 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).