### FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

# ADORA2B Fusion Protein



#### Peptide Sequence:

GCVLPPLLIMLVIYIKIFLVACRQLQRTELMDHSRTTLQ REIHAAKSLAMIVGIFALCWLPVHAVNCVTLFQPAQ GKNKPKWAMNMAILLSHANSVVNPIVYAYRNRDFRY TFHKIISRYLLCQADVKSGNGQAGVQPALGVGL (189-332 aa encoded by BC025722)

## Reconstitution and Storage

**Basic Information** 

#### Reconstitution:

Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage:

Catalog Number: Ag26329

Available lyophilized

**Expression Source:** 

Biological Activity: Not tested Endotoxin Level:

Validated Application: Blocking peptide

e coli.-derived, PET28a, with N-terminal 6\*His.

Please contact the lab for more information

Form:

Species:

human

Reconstitute at 0.25  $\mu g/~\mu \, l$  in 200  $~\mu \, l$  sterile water for short-term storage.

After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details).

If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used).


Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.

Store for up to 12 months at -20°C to -80°C as lyophilized powder.

## Storage of Reconstituted Protein

Stability and Storage

### Selected Validation Data



-22 kDa

28 kDa-

20 kDa-

14 kDa

Aliquot and store at -20°C to -80°C for up to 3 months,

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

#### Shipping:

The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).