## For Research Use Only

## CoraLite® Plus 488-conjugated SURVIVIN Polyclonal antibody

Catalog Number:CL488-10508

Featured Product




Basic Information	Catalog Number: CL488-10508	GenBank Accession Number: BC008718	Purification Method: Antigen affinity purification
	Size: 1000 µg/ml Source: Rabbit	GeneID (NCBI): 332 UNIPROT ID: 015392	Excitation/Emission maxima wavelengths: 493 nm / 522 nm
	Immunogen Catalog Number: AG0788	Calculated MW: 16 kDa	
	Applications	Tested Applications: FC (Intra)	
Species Specificity: human, mouse, rat			
Background Information	Survivin, also called BIRC 5, is a unique member of the inhibitor of apoptosis (IAP) protein family. Survivin is a 16 kDa anti-apoptotic protein highly expressed during fetal development and cancer cell malignancy, but is completely absent in terminally differentiated cells. The differential expression of survivin in cancer versus normal tissues makes it a useful tool in cancer diagnosis and a promising therapeutic target. Survivin expression is also highly regulated by the cell cycle and is only expressed in the G2-M phase. It is known that survivin localizes to the mitotic spindle by interaction with tubulin during mitosis and may play a contributing role in regulating mitosis. Disruption of survivin-microtubule interactions results in loss of survivin's anti-apoptosis function and increased caspase-3 activity, a mechanism involved in cell death, during mitosis. It also is a direct target gene of the Wnt pathway and is upregulated by beta-catenin.		
Storage	Storage: Store at -20°C. Avoid exposure to l Storage Buffer: PBS with 50% Glycerol, 0.05% Pro Aliquoting is unnecessary for -20°	clin300, 0.5% BSA, pH 7.3.	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1X10^6 Jurkat cells were intracellularly stained with 0.2 ug CoraLite® Plus 488 Anti-Human SURVIVIN (CL488-10508) (red), or 0.2 ug Mouse IgG1 Isotype Control (CL488-66360, Clone: T1F8D3F10) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).