For Research Use Only

CoraLite® Plus 488-conjugated FRS2 proteintech Polyclonal antibody

Catalog Number: CL488-11503

Featured Product

Basic Information

CL488-11503 Size: 1000 µ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG2052

Catalog Number:

GenBank Accession Number: BC021562 GeneID (NCBI): 10818 UNIPROT ID: Q8WU20 Full Name: fibroblast growth factor receptor substrate 2 Calculated MW: 60 kDa Observed MW: 68 kDa

Purification Method: Antigen affinity purification Excitation/Emission maxima wavelengths: 493 nm / 522 nm

Applications

Tested Applications: FC (Intra) Species Specificity: human, mouse, rat

Background Information

Fibroblast growth factor (FGF) receptor substrate 2 (FRS2) has an alternative name as SNT-1, it is an adapter protein that links activated FGR and NGF receptors to downstream signaling pathways. FGF receptor substrates (FRS2 and FRS3) are key adaptor proteins that mediate FGF-FGFR signalling in benign as well as malignant tissue. FRS2 is a 508 amino-acid protein,which is phosphorylated on tyrosine residues. The molecular weight of non-phosphorylated FRS2 is 57-68 kDa, but phosphorylated FRS2 is 80-90 kDa. Phosphorylation of FRS2 is associated with activation of a number of MAP kinases. Allele-specific regulation of FGFR2 mRNA expression with a mildly increased breast cancer risk has been reported.

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



(blue)1x10^6 MCF-7 cells were intracellularly stained with 0.8 ug CoraLite® Plus 488 Anti-Human FRS2 (CL488-11503)(red), or 0.8 ug CoraLite® Plus 488-conjugated Rabbit IgG control Rabbit PolyAb (CL488-30000). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).