For Research Use Only

CoraLite® Plus 488-conjugated P27; KIP1 Polyclonal antibody



Purification Method:

IF 1:50-1:500

wavelengths: 493 nm / 522 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL488-25614

Featured Product

Basic Information

Catalog Number: CL488-25614

1000 µg/ml Source: Rabbit

Isotype:

Immunogen Catalog Number:

AG22582

Tested Applications:

Species Specificity: human, mouse GenBank Accession Number:

BC001971 GeneID (NCBI): 1027

UNIPROT ID: P46527 Full Name:

(p27, Kip1)

cyclin-dependent kinase inhibitor 1B

Calculated MW: 198 aa, 22 kDa Observed MW: 27 kDa

Positive Controls:

IF: mouse testis tissue,

Background Information

CDKN1B, also named as P27 or KIP1, is a cyclin-dependent kinase inhibitor, which shares a limited similarity with CDK inhibitor CDKN1A/p21. P27 binds to and prevents the activation of cyclin E-CDK2 or cyclin D-CDK4 complexes, and thus controlling cell cycle progression at G1. The degradation of this protein, which is triggered by its CDK dependent phosphorylation and subsequent ubiquitination by SCF complexes, is required for the cellular transition from quiescence to the proliferative state. Downregulation of P27 has been implicated in the progression of several malignancies, including lung cancer, hepatocellular carcinoma, salivary cancer, oral squamous cell carcinomas, and gastric cancer.

Storage

Applications


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using CoraLite® Plus 488 P27; KIP1 antibody (CL488-25614) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using CoraLite® Plus 488 P27; KIP1 antibody (CL488-25614) at dilution of 1:200.