For Research Use Only


CoraLite® Plus 488-conjugated (

CoraLite® Plus CD45 Monoclo	-	0	Antibodies ELISA kits Proteins WWW.ptglab.com
Catalog Number:CL488-602	87		
Basic Information	Catalog Number: CL488-60287	GenBank Accession Number: BC014239	Purification Method: Protein A purification
	Size: 1000 μg/ml	Genel D (NCBI): 5788	CloneNo.: 4E9B2
	Source: Mouse	ENSEMBL Gene ID: ENSG00000081237	Recommended Dilutions: IF 1:50-1:500
	Isotype: IgG2a	UNIPROT ID: P08575	Excitation/Emission maxima wavelengths: 493 nm / 522 nm
	Immunogen Catalog Number: AG13712	Full Name: protein tyrosine phosphatase, receptor type, C	
		Calculated MW: 1304 aa, 147 kDa	
		Observed MW: 220 kDa	
Applications	Tested Applications: IF-P	Positive Controls:	
	IF : human tonsillitis tissue, Species Specificity: numan, pig, mouse		i tonsillitis tissue,
Background Information	CD45, also known as leukocyte common antigen (LCA), B220, and T200, is a 180-240 kD single chain type I membrane glycoprotein. It is a tyrosine phosphatase expressed on the plasma membrane of all hematopoietic cells, except erythrocytes and platelets. CD45 is a signaling molecule that regulates a variety of cellular processes including cell growth, differentiation, cell cycle, and oncogenic transformation. CD45 is one of the best negative selection markers for characterizing and/or isolating human mesenchymal stem cells from bone marrow and other sources. Along with the positive selection markers (such as CD29, CD44, CD90, CD105 and CD166), negative selection markers (such as CD34 and CD45) are used for MSC identification.		
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage		

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using CoraLite® Plus 488 CD45 antibody (CL488-60287, Clone: 4E9B2) at dilution of 1:200.