## CoraLite® Plus 488-conjugated P62,SQSTM1 Monoclonal antibody

Catalog Number: CL488-66184

Basic Information	Catalog Number: CL488-66184	GenBank Accession Number: BC017222	Purification Method: Protein A purification
	Size: 1000 µg/ml	GeneID (NCBI): 8878	CloneNo.: 1H5C1
	Source: Mouse	UNIPROT ID: Q13501	Recommended Dilutions: IF 1:50-1:500
	Isotype: IgG2a Immunogen Catalog Number: AG13131	Full Name: sequestosome 1	Excitation/Emission maxima wavelengths: 493 nm / 522 nm
		Calculated MW: 48 kDa Observed MW: 62 kDa	
Species Specificity: human			
Background Information	Sequestosome 1 (SQSTM1/p62) is a multifunctional adaptor protein implicated in selective autophagy, cell signaling pathways, and tumorigenesis. p62 has been implicated in shuttling ubiquitinated and sometimes aggregated proteins for autophagic degradation. As a autophagy-specific substrate, p62 is degraded during the autophagic process, which makes intracellular level of p62 as a marker for autophagy flux. p62 is at the cross-roads of several signaling pathways including Ras/ Raf/ MAPK and NF $\ltimes$ B and plays important role in cancer. p62 is a component of inclusion bodies/ protein aggregates found in human diseases, including Huntington's disease, Alzheimer's disease, Parkinson's disease in the brain, and nephropathic cystinosis in kidney (PMID: 22074114, 22860231, 22714671). The molecular weight of p62 is predicted as 48/ 38 kDa, while western blot analyses using this antibody demonstrate the major band around 60-62 kDa in various tissues.		
Storage	Storage: Store at -20°C. Avoid exposure to I Storage Buffer: PBS with 50% Glycerol, 0.05% Pro Aliquoting is unnecessary for -20°		ent.


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Antibodies | ELISA kits | Proteins

www.ptglab.com

## Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed Chloroquine treated HepG2 cells using CL488-66184 (P62,SQSTM1 antibody) at dilution of 1:100.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CL488-66184 (P62,SQSTM1 antibody) at dilution of 1:100.