For Research Use Only

CoraLite®594-conjugated APOE Monoclonal antibody

Catalog Number: CL594-66830




CL594-66830	BC003557	Protein G purification
Size: 1000 µ g/ml	GenelD (NCBI): 348	CloneNo.: 1B2C9
Source: Mouse	UNIPROT ID: P02649	Recommended Dilutions: IF 1:50-1:500
lsotype: IgG1	Full Name: apolipoprotein E	Excitation/Emission maxima wavelengths: 588 nm / 604 nm
Immunogen Catalog Number: AG28186	Calculated MW: 36 kDa	
	Observed MW: 34-36 kDa	
Tested Applications:	FC (Intra), IF/ICC IF : HepG2 cells, Species Specificity:	
Species Specificity: human, mouse		
catabolism of lipoprotein particle APOE receptor (chylomicron remn risk and its role in the accumulation	The apolipoprotein E (APOE) is a 299-amino acid polypeptide that mediates the binding, internalization, and catabolism of lipoprotein particles, and also serve as a ligand for the LDL (APO B/E) receptor and for the specific APOE receptor (chylomicron remnant) of hepatic tissues. The very strong association of the APOE 4 allele with AD risk and its role in the accumulation of amyloid β in brains of people and animal models solidify the biological relevance of APOE isoforms but do not provide mechanistic insight.	
Storage Buffer:		nt.
	1000 μ g/ml Source: Mouse Isotype: IgG1 Immunogen Catalog Number: AG28186 Tested Applications: FC (Intra), IF/ICC Species Specificity: human, mouse The apolipoprotein E (APOE) is a : catabolism of lipoprotein particle APOE receptor (chylomicron remrrisk and its role in the accumulati relevance of APOE isoforms but d Storage: Storage Buffer: PBS with 50% Glycerol, 0.05% Pro	1000 μ g/ml 348 Source: UNIPROT ID: Mouse P02649 Isotype: Full Name: IgG1 apolipoprotein E Immunogen Catalog Number: Calculated MW: AG28186 36 kDa Observed MW: 34-36 kDa Tested Applications: Positive C FC (Intra), IF/ICC IF : HepG2 Species Specificity: human, mouse The apolipoprotein E (APOE) is a 299-amino acid polypeptide that med catabolism of lipoprotein particles, and also serve as a ligand for the LD APOE receptor (chylomicron remnant) of hepatic tissues. The very strong risk and its role in the accumulation of amyloid β in brains of people a relevance of APOE isoforms but do not provide mechanistic insight. Storage: Storage: Storage: Storage:


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (-20°C Methanol) fixed HepG2 cells using CoraLite®594 APOE antibody (CL594-66830, Clone: 1B2C9) at dilution of 1:200.



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug CoraLite®594 Anti-Human APOE (CL594-66830, Clone:1B2C9) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).