For Research Use Only

CoraLite® Plus 647-conjugated STAT3 Polyclonal antibody

Catalog Number: CL647-10253

Featured Product

Basic Information

Catalog Number: CL647-10253 Size: 1000 µ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG0360 GenBank Accession Number: BC000627

GenelD (NCBI): 6774

UNIPROT ID:

P40763 Full Name: signal transducer and activator of transcription 3 (acute-phase response factor) Calculated MW:

770 aa, 88 kDa

Observed MW: 88 kDa Purification Method: Antigen affinity purification Excitation/Emission maxima wavelengths: 654 nm / 674 nm

Applications

Tested Applications: FC (Intra) Species Specificity: human, mouse, rat

Background Information

Signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3, synonyms: APRF, FLJ20882, MGC 16063) is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. STAT3 is activated through phosphorylation in response to various cytokines and growth factors including IFNs, EGF, IL5, IL6, HGF, LIF and BMP2. STAT3 mediates the expression of a variety of genes in response to cell stimuli, and thus plays a key role in many cellular processes such as cell growth and apoptosis. The small GTPase Rac1 has been shown to bind and regulate the activity of STAT3. This antibody is a rabbit polyclonal antibody raised against residues near the N terminus of human STAT3. STAT3 exists three isoforms and the molecular weight of each isoform respectively is 83 kDa, 87 kDa and 88 kDa.

Storage


Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.



Selected Validation Data



1X10^{^6} HeLa cells were intracellularly stained with 0.2 ug CoraLite® Plus 647 Anti-Human STAT3 (CL647-10253) (red), or 0.2 ug Control Antibody (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).