For Research Use Only

FITC Plus Anti-Human CD11c (3.9)

Catalog Number: FITC-65086



Purification Method:

Affinity purification

Excitation/Emission maxima

CloneNo.:

wavelengths: 495 nm / 524 nm

Basic Information

Catalog Number:

FITC-65086

Size:

100tests, 5 $\,\mu$ l/test

Source: Mouse

Isotype: IgG1, kappa

1169 aa, 129 kDa

GenBank Accession Number:

BC038237 GeneID (NCBI):

3687

ENSEMBL Gene ID:

ENSG00000140678 **UNIPROT ID:**

P20702

Full Name: integrin, alpha X (complement

component 3 receptor 4 subunit)

Calculated MW:

Applications

Tested Applications:

Species Specificity:

Human

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits (PMID: 9779984). CD11c, also known as integrin $\,^{\alpha}$ X, is a type I transmembrane glycoprotein present on a variety of cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α / β heterodimer with CD18 (integrin β 2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD11c (FITC-65086, Clone: 3.9) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul FITC Plus Anti-Human CD11c (FITC-65086, Clone: 3.9) or unstained. Cells were not fixed. Monocytes were gated.