For Research Use Only

GST Tag Polyclonal antibody Catalog Number:10000-0-AP 237 Publications




Basic Information	Catalog Number: 10000-0-AP	GenBank Accession Number: FN315687	Purification Method: Antigen affinity purification
	Concentration:	GenelD (NCBI):	Anagen anning partication
	500 ug/ml	Full Name:	
	Source: Rabbit	Calculated MW: 26 kDa	
	Isotype: IgG		
Applications	Tested Applications: ELISA		
	Cited Applications: WB, IF, IP, CoIP, ChIP, ELISA		
	Species Specificity: recombinant protein		
	•		
	Cited Species: human		
Background Informatic	Cited Species: human GST(Glutathione S-Transferas both an easily detectable tag protein of interest. This GST-f Antibodies to GST are useful f immunoaffinity purification of	se) is a widely used protein tag encoded by and a simple purification process with lit usion protein can then be purified from ce for checking protein expression both in pla of proteins expressed in cells. This antiboc used as Rabbit IgG control in FC.	tle effect on the biological function of the lls via its high affinity for glutathione. aques and on western blots as well as for
	Cited Species: human GST(Glutathione S-Transferas both an easily detectable tag protein of interest. This GST-f Antibodies to GST are useful f immunoaffinity purification of protein. This antibody can be	and a simple purification process with lit usion protein can then be purified from ce for checking protein expression both in pla of proteins expressed in cells. This antiboo used as Rabbit IgG control in FC.	tle effect on the biological function of the lls via its high affinity for glutathione. aques and on western blots as well as for dy can be used to detect the GST tagged
	Cited Species: human GST(Glutathione S-Transferas both an easily detectable tag protein of interest. This GST-ff Antibodies to GST are useful f immunoaffinity purification of protein. This antibody can be Author	and a simple purification process with lit usion protein can then be purified from ce for checking protein expression both in pla of proteins expressed in cells. This antiboc	tle effect on the biological function of the lls via its high affinity for glutathione. aques and on western blots as well as for
	Cited Species: human GST(Glutathione S-Transferas both an easily detectable tag protein of interest. This GST-f Antibodies to GST are useful f immunoaffinity purification of protein. This antibody can be	and a simple purification process with litt usion protein can then be purified from ce for checking protein expression both in pla of proteins expressed in cells. This antiboc used as Rabbit IgG control in FC. Pubmed ID Journal	tle effect on the biological function of the lls via its high affinity for glutathione. aques and on western blots as well as for by can be used to detect the GST tagged Application
Background Informatic	Cited Species: human GST(Glutathione S-Transferas both an easily detectable tag protein of interest. This GST-f Antibodies to GST are useful f immunoaffinity purification of protein. This antibody can be Author Xingfeng Liu	and a simple purification process with litit usion protein can then be purified from ce for checking protein expression both in pla of proteins expressed in cells. This antiboc used as Rabbit IgG control in FC. Pubmed ID Journal 36131205 Nat Metab	tle effect on the biological function of the lls via its high affinity for glutathione. aques and on western blots as well as for by can be used to detect the GST tagged Application WB
	Cited Species: human GST(Glutathione S-Transferas both an easily detectable tag protein of interest. This GST-f Antibodies to GST are useful t immunoaffinity purification of protein. This antibody can be Author Xingfeng Liu Tianyu Han	and a simple purification process with litt usion protein can then be purified from ce for checking protein expression both in pla of proteins expressed in cells. This antiboc used as Rabbit IgG control in FC. Pubmed ID Journal 36131205 Nat Metab 30231667 Autophagy 34536269 Aging (Albany N	tle effect on the biological function of the lls via its high affinity for glutathione. aques and on western blots as well as for by can be used to detect the GST tagged Application WB

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Western blot of GST-tagged fusion protein with anti-GST-tag (10000-0-AP) at various dilutions.