For Research Use Only

NPRL2 Polyclonal antibody

Catalog Number:10157-1-AP

Featured Product

8 Publications




Basic Information	Catalog Number: 10157-1-AP	GenBank Accession Numbe BC002791	r: Purification Method: Antigen affinity purification	
	Size:	GenelD (NCBI):	Recommended Dilutions:	
	300 µg/ml	10641	WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total	
	Source: Rabbit	UNIPROT ID: O8WTW4	protein lysate	
	Isotype:	Full Name:	IHC 1:20-1:200	
	IgG tumor suppressor candidate 4		2 4	
	Immunogen Catalog Number: AG0210	Calculated MW: 44 kDa		
		Observed MW: 44-50 kDa		
Applications	Tested Applications:	Posi	Positive Controls:	
	IHC, IP, WB, ELISA	WB	WB : mouse pancreas tissue, HeLa cells	
	Cited Applications: IP : mouse WB, IF, IHC, ColP		nouse pancreas tissue,	
	Species Specificity: human, mouse		human lung cancer tissue, human pancreas e, human skeletal muscle tissue	
	Cited Species: human, mouse			
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	a component of the GATOR1 com pathway. Homologous to yeast ni encodes a protein of molecular m	olex functions as an inhibitor of trogen permease (candidate tun ass of 50 kDa. Data by using ove	gene associated with Epilepsy, Familial Focal the amino acid-sensing branch of the TORC1 nor suppressor) (NM_006545, BC021984) gene rlapping and nested homozygous deletions volved in the development of lung cancers.	
	a component of the GATOR1 com pathway. Homologous to yeast ni encodes a protein of molecular m	olex functions as an inhibitor of trogen permease (candidate tun ass of 50 kDa. Data by using ove	nor suppressor) (NM_006545, BC021984) gene rlapping and nested homozygous deletions	
	a component of the GATOR1 comp pathway. Homologous to yeast ni encodes a protein of molecular m methods indicate that this proteir	olex functions as an inhibitor of trogen permease (candidate tun ass of 50 kDa. Data by using ove 1 might be a tumor suppressor in	the amino acid-sensing branch of the TORC1 nor suppressor) (NM_006545, BC021984) gene rlapping and nested homozygous deletions volved in the development of lung cancers.	
	a component of the GATOR1 comp pathway. Homologous to yeast ni encodes a protein of molecular m methods indicate that this protein Author	olex functions as an inhibitor of trogen permease (candidate tun ass of 50 kDa. Data by using ove a might be a tumor suppressor in Pubmed ID Journal	the amino acid-sensing branch of the TORC1 nor suppressor) (NM_006545, BC021984) gene rlapping and nested homozygous deletions volved in the development of lung cancers. Application WB,IHC	
Background Information Notable Publications	a component of the GATOR1 comp pathway. Homologous to yeast ni encodes a protein of molecular m methods indicate that this protein Author Zhixiong Chen	olex functions as an inhibitor of trogen permease (candidate tun ass of 50 kDa. Data by using ove a might be a tumor suppressor in Pubmed ID Journal 30178500 Prostate	the amino acid-sensing branch of the TORC1 nor suppressor) (NM_006545, BC021984) gene rlapping and nested homozygous deletions volved in the development of lung cancers. Application WB,IHC og WB	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of TUSC4 antibody (10157-1-AP; 1:600; incubated at room temperature for 1.5 hours) with sh-Control and sh-TUSC4 transfected HeLa cells.




mouse pancreas tissue were subjected to SDS PAGE followed by western blot with 10157-1-AP (TUSC 4 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lung cancer slide using 10157-1-AP (NPR2L,TUSC4 Antibody) at dilution of 1:50.



Immunohistochemical analysis of paraffinembedded human lung cancer slide using 10157-1-AP (NPR2L,TUSC4 Antibody) at dilution of 1:50.



IP result of anti-NPRL2 (IP:10157-1-AP, 3ug; Detection:10157-1-AP 1:500) with mouse pancreas tissue lysate 4000ug.