For Research Use Only

ABCF2 Polyclonal antibody

Catalog Number:10226-1-AP 1 Publications



Basic Information

 Catalog Number:
 GenBank Accession Number:

 10226-1-AP
 BC001661

 Size:
 GeneID (NCBI):

 400 ug/ml
 10061

 Source:
 UNIPROT ID:

Rabbit Q9UG63 Isotype: Full Name:

gG ATP-binding cassette, sub-family F

Immunogen Catalog Number: (GCN20), member:
AG0310 Calculated MW:
71 kDa

Observed MW: 71 kDa Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:3000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF/ICC 1:50-1:500

Applications

Tested Applications: WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB

Species Specificity: human, mouse

Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: NIH/3T3 cells, HEK-293 cells

IP: HeLa cells,

IHC: human colon cancer tissue,

IF/ICC : HeLa cells,

Background Information

ABCF2 (ABC28, M-ABC1, HUSSY-18, EST133090, DKFZp586K1823) is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins are composed of transmembrane domains (TMDs), and nucleotide binding domains (NBDs, or ATP-binding cassettes, ABSs). Based on their sequence similarity scores, the members of the human ABC protein family can be grouped into eight subfamilies, including the MDR/TAP, the ALD, the MRP/CFTR, the ABC1, the White, the RNAseL inhibitor, the ANSA, and the GCN20 subfamilies. ABCF2 is a member of the GCN20 subfamily. ABC proteins transport various molecules across extra- and intracellular membranes.

Notable Publications

Author Pubmed ID Journal Application

Erika C Urdaneta 30824702 Nat Commun WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



NIH/3T3 cells were subjected to SDS PAGE followed by western blot with 10226-1-AP (ABCF2 Antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



IP result of anti-ABCF2 (IP:10226-1-AP, 4ug; Detection:10226-1-AP 1:300) with HeLa cells lysate 3000 ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using 10226-1-AP (ABCF2 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 10226-1-AP (ABCF2 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).