For Research Use Only

Testin Polyclonal antibody

Catalog Number: 10258-1-AP 5 Publications



Basic Information

Catalog Number:

10258-1-AP

BC001451

Concentration:

600 ug/ml

26136

Source:

Rabbit

UNIPROT ID:

Rabotype:

Full Name:

testis derived transcript (3 LIM domains)

Immunogen Catalog Number: domains)
AG0379 Calculated MW:

48 kDa Observed MW: 38-48 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:500-1:1000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF-P 1:50-1:500 IF/ICC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, IF-P, IP, ELISA

Cited Applications:

Species Specificity:

WB, IHC

human, mouse

Cited Species:
human, mouse

Note-IHC: suggested antigen retrieval with

Positive Controls:

WB: HEK-293 cells, K-562 cells, MCF-7 cells, mouse

testis tissue

IP: K-562 cells.

IHC: human skin cancer tissue,
IF-P: mouse heart tissue,
IF/ICC: A549 cells, HEK-293 cells

TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Testin (TES) is a cytoskeleton-associated protein that localizes along actin stress fibers at cell-cell contact areas and at focal adhesion plaques. It interacts with a variety of cytoskeletal proteins and gets involved in regulation of cell adhesion and migration. TES is a putative tumor suppressor and reduced expression of TES has been reported in various cancers. In addition, TES is a marker for Sertoli-Germ Cell junction and is useful to monitor the disruption of intercellular junctions in the testis.

Notable Publications

Author	Pubmed ID	Journal	Application
Giedrius Steponaitis	27899997	Oncol Lett	WB
Fengfeng Wu	35071320	Front Mol Biosci	WB
Xue Song	39237074	Chem Biol Interact	IHC

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com


W: ptgcn.cor

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




HEK-293 cells were subjected to SDS PAGE followed by western blot with 10258-1-AP (TES antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.




IP result of anti-TES (IP:10258-1-AP, 4ug; Detection:10258-1-AP 1:1500) with K-562 cells lysate 4000ug.




Immunohistochemical analysis of paraffinembedded human skin cancer tissue slide using 10258-1-AP (TES antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse heart tissue using Testin antibody (10258-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse heart tissue using Testin antibody (10258-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A549 cells using Testin antibody (10258-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).