

For Research Use Only

CFLAR/FLIP Polyclonal antibody, PBS Only

Catalog Number: 10394-1-PBS

Featured Product



Basic Information

Catalog Number:

10394-1-PBS

Concentration:

1 mg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG0593

GenBank Accession Number:

BC001602

GeneID (NCBI):

8837

UNIPROT ID:

O15519

Full Name:

CASP8 and FADD-like apoptosis regulator

Calculated MW:

52 kDa

Observed MW:

20-35 kDa, 50-55 kDa

Purification Method:

Antigen affinity purification

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Species Specificity:

human, mouse

Background Information

CFLAR, also named as CASH, CASP8AP1, CLARP, MRIT, Casper, c-FLIP and I-FLICE, belongs to the peptidase C14A family. It is an apoptosis regulator protein which may function as a crucial link between cell survival and cell death pathways in mammalian cells. CFLAR acts as an inhibitor of TNFRSF6 mediated apoptosis. It can be cleaved to be 2 fragments P43 and P12. P43 is likely retained in the death-inducing signaling complex (DISC) thereby blocking further recruitment and processing of caspase-8 at the complex. Full length and shorter isoforms have been shown either to induce apoptosis or to reduce TNFRSF-triggered apoptosis. CFLAR lacks enzymatic (caspase) activity.

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Jurkat cells were subjected to SDS PAGE followed by western blot with 10394-1-AP (CFLAR/FLIP antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 10394-1-PBS in a different storage buffer formulation.




WB result of CFLAR/FLIP antibody (10394-1-AP; 1:500; incubated at room temperature for 1.5 hours) with sh-Control and sh-CFLAR/FLIP transfected HepG2 cells. This data was developed using the same antibody clone with 10394-1-PBS in a different storage buffer formulation.




IP result of anti-CFLAR/FLIP (IP:10394-1-AP, 4ug; Detection:10394-1-AP 1:500) with Jurkat cells lysate 4000ug. This data was developed using the same antibody clone with 10394-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using CFLAR/FLIP antibody (10394-1-AP) at dilution of 1:400 and CoraLite@488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red). This data was developed using the same antibody clone with 10394-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse skeletal muscle tissue slide using 10394-1-AP (CFLAR/FLIP antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 10394-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse skeletal muscle tissue slide using 10394-1-AP (CFLAR/FLIP antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 10394-1-PBS in a different storage buffer formulation.