

For Research Use Only

# STARD5 Polyclonal antibody

Catalog Number: 10487-1-AP

2 Publications



## Basic Information

Catalog Number:

10487-1-AP

Size:

350 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG0753

GenBank Accession Number:

BC004365

GeneID (NCBI):

80765

UNIPROT ID:

Q9NSY2

Full Name:

StAR-related lipid transfer (START) domain containing 5

Calculated MW:

23.4 kDa

Observed MW:

24-26 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000

IHC 1:50-1:500

IF/ICC 1:200-1:800

## Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB

Species Specificity:

human, mouse

Cited Species:

human, mouse

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

Positive Controls:

WB : COLO 320 cells, mouse liver tissue, HEK-293T cells, HepG2 cells, THP-1 cells

IHC : human liver tissue,

IF/ICC : HepG2 cells,

## Background Information

### Notable Publications

Author	Pubmed ID	Journal	Application
Yingping Zhu	39329209	Int J Oncol	WB
Yuanbiao Guo	19865483	PLoS One	WB

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




mouse liver tissue were subjected to SDS PAGE followed by western blot with 10487-1-AP (STARD5 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 10487-1-AP (STARD5 antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human liver using 10487-1-AP (STARD5 antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using STARD5 antibody (10487-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).