For Research Use Only

RBM15 Polyclonal antibody Catalog Number: 10587-1-AP Featured Product 4







Basic Information	Catalog Number: 10587-1-AP	GenBank Accession Number: BC006397		Purification Method: Antigen affinity purification						
	Concentration: 1000 ug/ml	GeneID (NCBI): 64783 UNIPROT ID: Q96T37 Full Name: RNA binding motif protein 15 Calculated MW: 105 kDa Observed MW: 100-107 kDa		Recommended Dilutions: WB 1:2000-1:16000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:50-1:500 IF/ICC 1:1000-1:4000						
	Source: Rabbit									
	lsotype: lgG Immunogen Catalog Number: AG0938									
					Applications	Tested Applications:		Positive C	Positive Controls:	
						WB, IHC, IF/ICC, IP, ELISA		WB : SW480 cells, HEK293 cells, HEK-293 cells		
Cited Applications: WB, IHC, IF, IP, CoIP, RIP	P HFK-293 Cells		93 cells,							
Species Specificity:		IHC : human breast cancer tissue,								
human, mouse, rat IF/ICC : A431 cells, HepG2 cells										
Cited Species: human, mouse, rat										
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0										
Background Information	RNA-binding motif protein 15 (RBM15) belongs to the SPEN protein family, which have repressor function in several signaling pathway, and may bind to RNA through interaction with spliceosome components. It was first described a a 5' translocation partner of the MAL gene in (1,22)(p13;q13) infant acute megakaryocytic leukemia, and it functions in murine hematopoiesis through modulating Notch-induced transcriptional activation, which play crucia roles in leukemogenesis. Decreasing RBM15 levels with RNA interference could inhibit the growth and proliferation block the cell cycle, and induce apoptosis in CML cells.									
Notable Publications	Author Pubmed ID Journal Application									
	Vladimir Majerciak	25234929	RNA	WB						
	Zhenwei Li	34825733	J Clin Lab Anal	WB						
	-	34825733 36434140	J Clin Lab Anal Discov Oncol	WB WB						

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




IP result of anti-RBM15 (IP:10587-1-AP, 4ug; Detection:10587-1-AP 1:500) with HEK-293 cells lysate 2600 ug.




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 10587-1-AP (RBM15 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




WB result of RBM15 antibody (10587-1-AP, 1:3000) with si-control and si-RBM15 transfected HEK293 cells.




HEK-293 cells were subjected to SDS PAGE followed by western blot with 10587-1-AP (RBM15 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




SW480 cells were subjected to SDS PAGE followed by western blot with 10587-1-AP (RBM15 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



SW480 cells were subjected to SDS PAGE followed by western blot with 10587-1-AP (RBM15 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed A431 cells using RBM15 antibody (10587-1-AP) at dilution of 1:2000 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using RBM15 antibody (10587-1-AP) at dilution of 1:1000 and Multi-rAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002), CL594-phalloidin (red).