For Research Use Only


CD138/Syndecan-1 Polyclonal antibody Catalog Number:10593-1-AP Featured Product 37 Publications WWW.ptglab.com




Basic Information	Catalog Number: 10593-1-AP	GenBank Accession Num BC008765	nber:	Purification Method: Antigen affinity purification
	Concentration:	Centration:GeneID (NCBI):Recorµ g/ml6382WB 1:		Recommended Dilutions:
	500 µg/ml			WB 1:500-1:2000
	Source: Rabbit	UNIPROT ID: P18827		IHC 1:800-1:3200
	lsotype: IgG	Full Name: syndecan 1		
	Immunogen Catalog Number: AG0823	Calculated MW: 32.5 kDa		
		Observed MW: 60-100 kDa, 130 kDa		
Applications	Tested Applications: WB, IHC, ELISA	F	Positive Controls:	
			WB : A 549 cells, mouse spleen tissue, HeLa cells, Raji cells	
	Species Specificity: human, mouse		IHC : human tonsillitis tissue, human o tissue	
	Cited Species: human, mouse, rat, pig			
	Note-IHC: suggested antige TE buffer pH 9.0; (*) Altern retrieval may be performed buffer pH 6.0	atively, antigen		
Background Information	migration and cell-matrix interac proteoglycan expressed on the su been detected in several differen	tions via its receptor for extra rface of, and actively shed by t tumor types. CD138 was reg nacytoid lymphomas. CD138	acellular ma /, myeloma c garded as a u 8 has a calcul	n. It participates in cell proliferation, cel trix proteins. It is a heparan sulfate cells. Altered syndecan-1 expression has seful marker for labeling normal and ated molecular weight of 32.5 kDa, the
Notable Publications	Author	Pubmed ID Journal		Application
	Kai Guo	34514877 Thyroid		IHC
		27634873 Oncotarg	get	IHC
		34690213 J Reprod	-	WB

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 10593-1-AP (CD138/Syndecan-1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 10593-1-AP (CD138/Syndecan-1 antibody) at dilution of 1:1600 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 10593-1-AP (CD138/Syndecan-1 antibody) at dilution of 1:1600 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).