For Research Use Only

AP1M2 Polyclonal antibody

Catalog Number: 10618-1-AP

Featured Product

1 Publications



Basic Information

 Catalog Number:
 GenBank Accession Number:

 10618-1-AP
 BC005021

 Size:
 GeneID (NCBI):

 700 ug/ml
 10053

 Source:
 UNIPROT ID:

 Rabbit
 Q9Y6Q5

adaptor-related protein complex 1,

Immunogen Catalog Number: mu 2 subunit
AG0961 Calculated MW:
48 kDa

Observed MW: 50-55 kDa

Full Name:

Applications

Tested Applications: WB, IHC, ELISA Cited Applications:

Species Specificity: human, mouse, rat Cited Species:

buffer pH 6.0

Isotype:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

Positive Controls:

WB: mouse colon tissue. Hacat cells

IHC: human pancreas cancer tissue, human kidney

Purification Method:

WB 1:500-1:1000 IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

tissue, human bowen disease

Background Information

AP1M2 is a subunit of the adaptor complex AP-1. It belongs to the adaptor complexes medium subunit family. Adaptor protein (AP) complexes are cytosolic heterotetramers that mediate the sorting of membrane proteins in the secretory and endocytic pathways. AP-1 is found at the cytoplasmic face of coated vesicles located at the Golgi complex, where it mediates both the recruitment of clathrin to the membrane and the recognition of sorting signals within the cytosolic tails of transmembrane receptors.

Notable Publications

Author	Pubmed ID	Journal	Application
Huan Wang	39303819	Gene	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

Selected Validation Data




AP1M1 is mu1A: 12112-1-AP, AP1M2 is mu1B: 10618-1-AP, Ap3M2 is mu3B: 11925-1-AP, acceptable bands ~50 kDa showing some degree of siRNA knockdown


WB result of AP1M2 antibody (10618-1-AP;1:500) with siRNA cell lysate.



mouse colon tissue were subjected to SDS PAGE followed by western blot with 10618-1-AP (AP1M2 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 10618-1-AP (AP1M2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 10618-1-AP (AP1M2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).