For Research Use Only

FADS1 Polyclonal antibody

Catalog Number: 10627-1-AP

Featured Product

15 Publications



Basic Information

Catalog Number:

10627-1-AP

BC007846

Concentration:

500 ug/ml

3992

Source:

UNIPROT ID:

Rabbit

O60427

Isotype:

GenBank Accession Number:

BC007846

GeneID (NCBI):

3992

UNIPROT ID:

Full Name:

IgG fatty acid desaturase 1
Immunogen Catalog Number: Calculated MW:

52 kDa, 42 kDa Observed MW: 52 kDa, 42 kDa Antigen affinity purification Recommended Dilutions: WB 1:1000-1:6000 IHC 1:50-1:500 IF/ICC 1:300-1:1200

Purification Method:

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF Species Specificity: human, mouse Cited Species:

AG0978

human, mouse, pig, chicken, goat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: LO2 cells, HeLa cells, Jurkat cells, mouse liver

tissue

IHC : human colon cancer tissue, human lung cancer

tissue, human endometrial cancer tissue

IF/ICC: HeLa cells,

Background Information

FADS1, also known as Delta-5 desaturase or D5D, is a 444 amino acid protein that belongs to the fatty acid desaturase (FADS) gene family. Desaturase enzymes regulate unsaturation of fatty acids through the introduction of double bonds between defined carbons of the fatty acyl chain. FADS1 is a key enzyme in polyunsaturated fatty acid (PUFA) metabolism that catalyze the conversion of linoleic acid (LA) into arachidonic acid (AA) and that of alphalinolenic acid (ALA) into eicosapentaenoic acid (EPA). FADS1 has two isform: 42 kDa, 52 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Fangdong Jiao	32982427	Cancer Manag Res	WB
Haiqing Luo	34486791	Stem Cells	IHC
Dong Wang	27390597	J Cancer	IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10627-1-AP (FADS1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 10627-1-AP (FADS1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 10627-1-AP (FADS1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using FADS1 antibody (10627-1-AP) at dilution of 1:600 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).