For Research Use Only

## CARD9 Polyclonal antibody Catalog Number: 10669-1-AP Featured Product

Featured Product 11 Publications





Basic Information	Catalog Number: 10669-1-AP	GenBank Accession Numl BC008877	ber: Purification Me Antigen affinit		
	Size:	GeneID (NCBI):	Recommended		
	350 ug/ml	64170	WB 1:500-1:30	00	
	Source: Rabbit	UNIPROT ID: Q9H257			
	Isotype: IgG Immunogen Catalog Number: AG1057	Full Name: caspase recruitment domain family, member 9			
		Calculated MW: 62 kDa			
		Observed MW: 55-62 kDa			
Applications	Tested Applications:	Pc	Positive Controls:		
	WB, ELISA Cited Applications: WB, IP	W	B : HL-60 cells, THP-1 cells		
	Species Specificity: human, mouse, rat				
	Cited Species: human, mouse				
Background Information	CARD9, a member of the caspase recruitment domain (CARD) protein family, plays an important regulatory role in cell apoptosis. Defects in CARD9 are the cause of familial candidiasis type 2 (CANDF2) characterized by impaired clearance of fungal infections and results in colonization and infections of the mucosa or skin, predominantly with Candida albicans. CARD9 is highly expressed in spleen and regulate activation of NF-kappa-B by interaction with postive regulator of apoptosis BCL10 via the CARD domain.				
Notable Publications	Author	Pubmed ID Journal		Application	
	Carlos A Arango-Franco	30264381 J Clin Im	munol	WB	
	Nikolaus Rieber	27777981 JCI Insig	ht	WB	
	Xinyan Wu	34721438 Front Imr	nunol	WB	
Storage	Storage: Store at -20°C. Stable for one ye Storage Buffer: PBS with 0.02% sodium azide a				

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





WB result of CARD9 antibody (10669-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-CARD9 transfected THP-1 cells. HL-60 cells were subjected to SDS PAGE followed by western blot with 10669-1-AP (CARD9 Antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.