

For Research Use Only

VAMP3/Cellubrevin Polyclonal antibody, PBS Only

Catalog Number: 10702-1-PBS

Featured Product



Basic Information

Catalog Number:

10702-1-PBS

Concentration:

1 mg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG1156

GenBank Accession Number:

BC005941

GeneID (NCBI):

9341

UNIPROT ID:

Q15836

Full Name:

vesicle-associated membrane protein

3 (cellubrevin)

Calculated MW:

11 kDa

Observed MW:

11-17 kDa

Purification Method:

Antigen affinity purification

Applications

Tested Applications:

WB, IHC, IP, Indirect ELISA

Species Specificity:

human, mouse, rat

Background Information

VAMP3, also named as cellubrevin or synaptobrevin 3, is a member of the vesicle-associated membrane protein (VAMP)/synaptobrevin family. VAMP3 is a v-SNARE (soluble NSF-attachment protein receptor). Characterized by a common sequence called the SNARE motif, SNARE proteins are involved in membrane fusion and vesicular transport (PMID: 11252968). VAMP3 resides in recycling endosomes and endosome-derived transport vesicles, involved in regulating membrane traffic. It is implicated in recycling of transferrin receptors, secretion of alpha-granules in platelets, and membrane trafficking during cell migration.

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of VAMP3/Cellubrevin antibody (10702-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-VAMP3/Cellubrevin transfected HEK-293 cells. This data was developed using the same antibody clone with 10702-1-PBS in a different storage buffer formulation.



HEK-293 cells were subjected to SDS PAGE followed by western blot with 10702-1-AP (VAMP3/Cellubrevin antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 10702-1-PBS in a different storage buffer formulation.



IP result of anti-VAMP3/Cellubrevin (IP:10702-1-AP, 4ug; Detection:10702-1-AP 1:1000) with HEK-293 cells lysate 3000ug. This data was developed using the same antibody clone with 10702-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 10702-1-AP (VAMP3/Cellubrevin antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 10702-1-PBS in a different storage buffer formulation.