For Research Use Only

AKR7A2 Polyclonal antibody

Catalog Number:10730-1-AP

Featured Product

2 Publications




Basic Information	Catalog Number: 10730-1-AP	ber: GenBank Accession Number: BC007352		Purification Method: Antigen affinity purification	
	Size:	GenelD (NCBI): 8574 UNIPROT ID: 043488		Recommended Dilutions: WB 1:500-1:1000 IHC 1:100-1:400	
	300 μg/ml Source: Rabbit				
	Isotype: IgG Full Name: aldo-keto reductase family 7, member A2 (aflatoxin aldehyde reductase) Calculated MW: 40 kDa				
		Observed MW: 35-40 kDa			
Applications	Tested Applications:		Positive Controls:		
	IHC, WB,ELISA Cited Applications:		WB : mouse liver tissue, HepG2 cells, A431 cells, HI 293 cells		
	WB, IHC				
	Species Specificity: human, mouse Cited Species: human, mouse				
					Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0
	Background Informatio	aldo/ kelo reduciase family. Akk	7A2 enzyme is catalytic ntial role against the co	cally active towar nsequences of oxi	AR, AFAR1, AKR7 and belongs to the d aldehydes arising from lipid dative stress, and representing an
Notable Publications	Author	Pubmed ID Jo	urnal	Application	
	Xiaohan Zhai	35179299 En	viron Toxicol	WB	
	Cui Yazhou Y	19077459 Pa	ncreatology	WB,IHC	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide ar Aliquoting is unnecessary for -20	nd 50% glycerol pH 7.3.			


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




mouse liver tissue were subjected to SDS PAGE followed by western blot with 10730-1-AP (AKR7A2 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



WB result of AKR7A2 antibody (10730-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-AKR7A2 transfected HEK-293 cells.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 10730-1-AP (AKR7A2 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 10730-1-AP (AKR7A2 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).