For Research Use Only

RAB3C Polyclonal antibody

Catalog Number: 10788-1-AP

5 Publications



Basic Information

Catalog Number: GenBank Accession Number: 10788-1-AP BC013033
Size: GeneID (NCBI): 550 µg/ml 115827
Source: UNIPROT ID: Rabbit Q96E17

Full Name: RAB3C, member RAS oncogene family

Immunogen Catalog Number: Calculated MW:

AG1241 26 kDa

Observed MW: 28 kDa

Applications

Tested Applications: IHC, IP, WB,ELISA Cited Applications: WB, IF, IHC Species Specificity: human, mouse, rat Cited Species:

human, mouse

Isotype:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: mouse brain tissue, human brain tissue, mouse lung tissue, rat brain tissues

Purification Method:

WB 1:2000-1:10000

protein lysate

IHC 1:50-1:500

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

IP: mouse brain tissue,
IHC: mouse brain tissue,

Background Information

Rab proteins are small molecular weight GTPases that control vesicular traffic in eukaryotic cells. A subset of Rab proteins, the Rab3 proteins (Rab3A, Rab3B, Rab3C, and Rab3D) are thought to play an important role in regulated exocytosis of vesicles. Although Rab3 proteins are highly homologous, displaying 77-85% amino acid identity with greatest variance evident within the N- and C-terminal regions, their subcellular targets and functional roles remain somewhat distinct between them. RT-PCR analysis indicated that human Rab3C was expressed in the human brain, placenta, and lung.

Notable Publications

Author	Pubmed ID	Journal	Application
Maha El Shahawy	28715412	PLoS Genet	IF
Не Ма	36583008	Front Endocrinol (Lausanne)	WB
Wanxue Xu	33311475	Signal Transduct Target Ther	IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10788-1-AP (RAB3C antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



IP result of anti-RAB3C (IP:10788-1-AP, 4ug; Detection:10788-1-AP 1:300) with mouse brain tissue lysate 4000ug.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 10788-1-AP (RAB3C antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 10788-1-AP (RAB3C antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).