For Research Use Only

Cathepsin L Polyclonal antibody

Catalog Number:10938-1-AP

Featured Product

13 Publications


Antibodies | ELISA kits | Proteins www.ptglab.com

Basic Information	Catalog Number: 10938-1-AP	GenBank Accession Number: BC012612	Purification Method: Antigen affinity purification
	Concentration:	GeneID (NCBI):	Recommended Dilutions:
	147 µg/ml	1514	WB 1:200-1:1000 IHC 1:50-1:500
	Source: Rabbit	UNIPROT ID: P07711	IF/ICC 1:50-1:500
	Isotype: IgG	Full Name: cathepsin L1	
	Immunogen Catalog Number: AG1373	Calculated MW: 38 kDa	
		Observed MW: 36-39 kDa, 29 kDa	
Applications	Tested Applications: WB, IF, IHC, ELISA	Positive Controls:	
	Cited Applications:	WB : A549 cells, IHC : human skin tissue,	
	WB, IHC, IF	IF/ICC : HepG2 cells,	
	Species Specificity: human		
	Cited Species: human, rat		
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0		
Background Information	CTSL1(Cathepsin L1) is also named as CTSL and MEP, belongs to the peptidase C1 family. It is a lysosomal proteinase whose expression is also up-regulated in the skeletal muscle during starvation(PMID:20088826). It pla an intracellular role in normal intestinal epithelial polarization and initiation of neoplasia(PMID:17622569). CTSI also improves cardiac function and inhibits cardiac hypertrophy, inflammation, and fibrosis through blocking AKT/GSK3B signaling(PMID:19096818). The full length protein is 38 kDa with a signal peptide, two propeptide and glycosylation site. It has been detected the 36 kDa, 39 kDa, 29 kDa and 21 kDa in rat gastrocnemius muscle. These forms of cathepsin L could either be attributed to differences in glycosylation or to partial processing of the proenzyme. (PMID:11696001)		
Notable Publications	Author	Pubmed ID Journal	Application
	Jana Ihlow	34479499 BMC Infect Di	
	Peng Liu	31632196 Cancer Cell I	
	Qiang Dong	34807310 J Cancer Res	Clin Oncol WB
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an Aliquoting is unnecessary for -20	d 50% glycerol pH 7.3.	


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of Cathepsin L antibody (10938-1-AP; 1:300; incubated at room temperature for 1.5 hours) with sh-Control and sh-Cathepsin L transfected A549 cells.




A549 cells were subjected to SDS PAGE followed by western blot with 10938-1-AP (Cathepsin L Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human skin tissue slide using 10938-1-AP (Cathepsin L Antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human skin tissue slide using 10938-1-AP (Cathepsin L Antibody) at dilution of 1:200 (under 40x lens).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using 10938-1-AP (Cathepsin L antibody), at dilution of 1:100 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L).