For Research Use Only

## ARL3 Polyclonal antibody Catalog Number: 10961-1-AP Featured Product

Featured Product






Basic Information	Catalog Number: 10961-1-AP	GenBank Accession Number: BC009841		Purification Method: Antigen affinity purification	
	Size:	GenelD (NCB	I):	Recommended Dilutions:	
	500 ug/ml	500 ug/ml403Source:UNIPROT ID:RabbitP36405Isotype:Full Name:IgGADP-ribosylation factor-like		WB 1:1000-1:8000 IHC 1:50-1:500 IF/ICC 1:200-1:800	
				5	
	Immunogen Catalog Number: AG1406	Calculated M 20 kDa	Calculated MW: 20 kDa		
		Observed MV 20 kDa, 25 kD			
Applications	Tested Applications:			ntrols:	
	WB, IHC, IF/ICC, ELISA		WB : mouse	WB : mouse brain tissue, PC-3 cells, human brain	
	Cited Applications: WB, IHC, IF, IP	Cited Applications: WB, IHC, IF, IP		tissue, mouse testis tissue, rat brain tissue, HeLa cell: rat testis tissue	
	Species Specificity:	Species Specificity:		IHC : human testis tissue, mouse testis tissue	
	human, mouse, rat, canine	human, mouse, rat, canine IF/ Cited Species: human, mouse		IF/ICC : MDCK cells, IMCD3 cells, hTERT-RPE1 cells	
	TE buffer pH 9.0; (*) Altern	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information		but lacks ADP-ribos		n factor family of GTP-binding proteins. 7. ARL3 is believed to be involved in cilia	
Notable Publications	Author	Author Pubmed ID Journal			
	Louise A Stephen	30220567	Dev Cell	IF	
	Mingyue Jin	25342295	Nat Commun	WB,IF, IP	
	Hao-Long Zeng	29174846	Biochim Biophys A	cta WB	
Storage	Storage: Store at -20°C. Stable for one yea	r after shipment.			


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10961-1-AP (ARL3 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




IF result of 10961-1-AP (anti-ARL3,Green) in ciliated IMCD3 cells by Dr. Seongjin Seo. (Red is the primary cilium, and blue is the nucleus).




HeLa cells were subjected to SDS PAGE followed by western blot with 10961-1-AP (ARL3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human testis tissue slide using 10961-1-AP (ARL3 Antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human testis tissue slide using 10961-1-AP (ARL3 Antibody) at dilution of 1:200 (under 40x lens).



Immunofluorescent analysis of (-20°C Methanol) fixed hTERT-RPE1 cells using ARL3 antibody (10961-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (-20°C Methanol) fixed MDCK cells using ARL3 antibody (10961-1-AP) at dilution of 1:400 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).