For Research Use Only

Nurr1/NR4A2 Polyclonal antibody, PBS Only




Catalog Number:10975-2-PBS

Basic Information	Catalog Number: 10975-2-PBS	GenBank Accession Number: BC009288	Purification Method: Antigen affinity purification		
	Size: 1 mg/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG1418	GeneID (NCBI): 4929 UNIPROT ID: P43354 Full Name: nuclear receptor subfamily 4, group A, member 2 Calculated MW:			
				66 kDa Observed MW: 66 kDa	
				Applications	Tested Applications: WB, IHC, IF-P, ELISA
		Species Specificity: human			
Background Information	NR4A2 belongs to the orphan nuclear receptor (NR) family referred to as NR4A family, which have been implicated in cell cycle regulation, apoptosis, inflammation, metabolism and more recently in carcinogenesis [PMID:22583411]. NR4A2 also has a role in the expression of several proteins that are necessary for the synthesis and regulation of DA, such as tyrosine hidroxilase, DA transporter, vesicular monoamine transporter 2, and cRET [PMID:22294735]. Act as a transcriptional regulator, NR4A2 is essential for the differentiation and maintenance of meso-diencephalic dopaminergic (mdDA) neurons during development. It is crucial for expression of a set of genes such as SLC6A3, SLC18A2, TH and DRD2 which are essential for development of mdDA neurons [PMID: 17184956].				
Storage	Storage: Store at -80°C. The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer: PBS Only				


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 10975-2-AP (Nurr1/NR4A2 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 10975-2-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 10975-2-AP (Nurr1/NR4A2 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 10975-2-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded Customer Sample customer using Nurr1/NR4A2 antibody (10975-2-AP) at dilution of 1:400 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 10975-2-PBS in a different storage buffer formulation.