#### For Research Use Only

# FEM1B Polyclonal antibody

Catalog Number: 11030-1-AP 1 Publications



**Purification Method:** 

WB 1:500-1:3000 IHC 1:20-1:200

Antigen affinity purification

Recommended Dilutions:

**Basic Information** 

 Catalog Number:
 GenBank Accession Number:

 11030-1-AP
 BC010122

 Size:
 GeneID (NCBI):

 700 ug/ml
 10116

 Source:
 UNIPROT ID:

 Rabbit
 Q9UK73

 Isotype:
 Full Name:

fem-1 homolog b (C. elegans)

Immunogen Catalog Number: Calculated MW: AG1497 70 kDa

Observed MW: 61 kDa

g b (C. elegans)

**Applications** 

Tested Applications: WB, IHC, ELISA Cited Applications:

WB

Species Specificity: human, mouse, rat Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:** 

WB: Jurkat cells, mouse testis tissue IHC: human prostate cancer tissue,

## **Background Information**

FEM1B, also named F1AA, and KIAA0396 is a 627 amino acid protein belonging to the fem-1 family. FEM1B is highly expressed in the testis and weakly expressed in other tissues. FEM1B localizes both in the nucleus and cytoplasm. In the nucleus, the protein level increased slightly after camptothecin (CPT) treatment. FEM1B is a component of an E3 ubiquitin-protein ligase complex, which may act as a substrate recognition subunit. FEM1B is involved in apoptosis by acting as a death receptor-associated protein that mediates apoptosis. FEM1B is also involved in glucose homeostasis in pancreatic islets. FEM1B functions as an adapter/mediator in replication stress-induced signaling that leads to the activation of CHEK1.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Rachael McMinimy	39642856	Mol Cell	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 11030-1-AP (FEM1B antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer using 11030-1-AP (FEM1B antibody) at dilution of 1:50 (under 10x lens).